

# DeepClean Extra+ - Sloped Top - IP3X Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

150mm

165mm

200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33			
		Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T20$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T20$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T20$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T20$ )	Product Code	
600	600	173	52	DEPS6006SF	262	79	DEPS6006HF	337	102	DEPS6006DF				
	700	217	65	DEPS6007SF	328	99	DEPS6007HF	421	127	DEPS6007DF	582	176	DEPS6007TF	
	800	260	79	DEPS6008SF	394	119	DEPS6008HF	505	152	DEPS6008DF	698	211	DEPS6008TF	
	900	303	92	DEPS6009SF	459	139	DEPS6009HF	589	178	DEPS6009DF	814	246	DEPS6009TF	
	1000	346	105	DEPS6010SF	525	158	DEPS6010HF	674	203	DEPS6010DF				
	1100	390	118	DEPS6011SF	590	178	DEPS6011HF	758	229	DEPS6011DF	1046	316	DEPS6011TF	
	1200	433	131	DEPS6012SF	656	198	DEPS6012HF	842	254	DEPS6012DF	1162	351	DEPS6012TF	
	1300	476	144	DEPS6013SF	722	218	DEPS6013HF	923	279	DEPS6013DF	1278	386	DEPS6013TF	
	1400	519	157	DEPS6014SF	787	238	DEPS6014HF	1010	305	DEPS6014DF	1395	421	DEPS6014TF	
	1500	562	170	DEPS6015SF										
	1600	606	183	DEPS6016SF	918	277	DEPS6016HF	1178	356	DEPS6016DF	1627	491	DEPS6016TF	
	1800	693	209	DEPS6018SF	1050	317	DEPS6018HF	1346	407	DEPS6018DF	1860	562	DEPS6018TF	
	2000	779	235	DEPS6020SF	1181	357	DEPS6020HF	1515	458	DEPS6020DF	2092	632	DEPS6020TF	
	2200	866	261	DEPS6022SF				1683	508	DEPS6022DF	2325	702	DEPS6022TF	
2400	952	288	DEPS6024SF				1851	559	DEPS6024DF					
2600	1038	314	DEPS6026SF				2020	610	DEPS6026DF					

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T20$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T20$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T20$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T20$ )	Product Code
700	600	223	67	DEPS7006SF	334	101	DEPS7006HF	431	130	DEPS7006DF			
	700	279	84	DEPS7007SF	418	126	DEPS7007HF	539	163	DEPS7007DF	746	225	DEPS7007TF
	800	334	101	DEPS7008SF	502	151	DEPS7008HF	646	195	DEPS7008DF	894	270	DEPS7008TF
	900	390	118	DEPS7009SF	586	177	DEPS7009HF	754	228	DEPS7009DF	1043	315	DEPS7009TF
	1000	446	135	DEPS7010SF	669	202	DEPS7010HF	862	260	DEPS7010DF	1192	360	DEPS7010TF
	1100	502	151	DEPS7011SF	753	227	DEPS7011HF	970	293	DEPS7011DF	1342	405	DEPS7011TF
	1200	558	168	DEPS7012SF	836	252	DEPS7012HF	1078	325	DEPS7012DF	1490	450	DEPS7012TF
	1300	614	185	DEPS7013SF	920	278	DEPS7013HF	1186	358	DEPS7013DF	1639	495	DEPS7013TF
	1400	669	202	DEPS7014SF	1003	303	DEPS7014HF	1293	390	DEPS7014DF	1789	540	DEPS7014TF
	1500	725	219	DEPS7015SF	1087	328	DEPS7015HF	1401	423	DEPS7015DF			
	1600	781	236	DEPS7016SF	1170	353	DEPS7016HF	1509	456	DEPS7016DF			
	1700	837	253	DEPS7017SF	1254	379	DEPS7017HF	1617	488	DEPS7017DF			
	1800	892	269	DEPS7018SF	1338	404	DEPS7018HF	1724	521	DEPS7018DF	2385	720	DEPS7018TF
	2000	1004	303	DEPS7020SF	1505	454	DEPS7020HF	1940	586	DEPS7020DF	2682	810	DEPS7020TF
2200	1115	337	DEPS7022SF	1672	505	DEPS7022HF	2155	651	DEPS7022DF	2981	900	DEPS7022TF	
2400	1226	370	DEPS7024SF	1839	555	DEPS7024HF	2370	716	DEPS7024DF	3279	990	DEPS7024TF	
2600	1338	404	DEPS7026SF	2006	606	DEPS7026HF	2586	781	DEPS7026DF				

# DeepClean Extra+ - Sloped Top - IP3X Grilles



Radiator Type	SF/Type 11	HF/Type 12	DF/Type 22	TF/Type 33
Casing Depths	150mm	165mm	200mm	260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T20$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T20$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T20$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T20$ )	Product Code
800	500	201	61	DEPS8005SF									
	600	268	81	DEPS8006SF	402	122	DEPS8006HF	518	157	DEPS8006DF			
	700	335	101	DES8007SF	503	152	DEPS8007HF	648	196	DEPS8007DF	896	271	DEPS8007TF
	800	402	122	DES8008SF	603	182	DEPS8008HF	777	235	DEPS8008DF	1074	324	DEPS8008TF
	900	470	142	DES8009SF	704	213	DEPS8009HF	906	274	DEPS8009DF	1254	379	DEPS8009TF
	1000	536	162	DES8010SF	805	243	DEPS8010HF	1036	313	DEPS8010DF	1433	433	DEPS8010TF
	1100	603	182	DES8011SF	905	273	DEPS8011HF	1166	352	DEPS8011DF	1612	487	DEPS8011TF
	1200	670	202	DES8012SF	1006	304	DEPS8012HF	1295	391	DEPS8012DF	1791	541	DEPS8012TF
	1300	738	223	DES8013SF	1106	334	DEPS8013HF	1425	430	DEPS8013DF	1970	595	DEPS8013TF
	1400	805	243	DES8014SF	1206	364	DEPS8014HF	1554	469	DEPS8014DF	2150	649	DEPS8014TF
	1500	871	263	DES8015SF	1307	395	DEPS8015HF	1684	509	DEPS8015DF	2329	703	DEPS8015TF
	1600	938	283	DES8016SF	1408	425	DEPS8016HF	1814	548	DEPS8016DF	2508	757	DEPS8016TF
	1700	1006	304	DES8017SF	1509	456	DEPS8017HF	1943	587	DEPS8017DF			
	1800	1073	324	DES8018SF	1609	486	DEPS8018HF	2072	626	DEPS8018DF			
	2000	1206	364	DES8020SF	1810	547	DEPS8020HF	2331	704	DEPS8020DF	3224	974	DEPS8020TF
	2200	1341	405	DES8022SF	2011	607	DEPS8022HF	2590	782	DEPS8022DF	3582	1082	DEPS8022TF
2400	1475	446	DES8024SF	2212	668	DEPS8024HF	2850	861	DEPS8024DF	3941	1190	DEPS8024TF	
2600	1609	486	DES8026SF	2414	729	DEPS8026HF	3109	939	DEPS8026DF				

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T20$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T20$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T20$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T20$ )	Product Code
900	500	233	70	DEPS9005SF	350	106	DEPS9005HF	449	136	DEPS9005DF			
	600	310	94	DEPS9006SF	466	141	DEPS9006HF	598	181	DEPS9006DF	827	250	DEPS9006TF
	700	388	117	DEPS9007SF	583	176	DEPS9007HF	748	226	DEPS9007DF	1034	312	DEPS9007TF
	800	466	141	DEPS9008SF	699	211	DEPS9008HF	897	271	DEPS9008DF	1240	374	DEPS9008TF
	900	543	164	DEPS9009SF	816	246	DEPS9009HF	1046	316	DEPS9009DF	1447	437	DEPS9009TF
	1000	621	187	DEPS9010SF	933	282	DEPS9010HF	1196	361	DEPS9010DF	1654	499	DEPS9010TF
	1100	698	211	DEPS9011SF	1049	317	DEPS9011HF	1346	406	DEPS9011DF	1861	562	DEPS9011TF
	1200	776	234	DEPS9012SF	1166	352	DEPS9012HF	1495	452	DEPS9012DF	2067	624	DEPS9012TF
	1300	854	258	DEPS9013SF	1282	387	DEPS9013HF	1645	497	DEPS9013DF	2274	687	DEPS9013TF
	1400	931	281	DEPS9014SF	1398	422	DEPS9014HF	1794	542	DEPS9014DF	2481	749	DEPS9014TF
	1500	1009	305	DEPS9015SF	1515	458	DEPS9015HF	1944	587	DEPS9015DF			
	1600	1086	328	DEPS9016SF	1632	493	DEPS9016HF	2094	632	DEPS9016DF	2894	874	DEPS9016TF
	1700	1164	352	DEPS9017SF	1749	528	DEPS9017HF	2243	677	DEPS9017DF			
	1800	1242	375	DEPS9018SF	1865	563	DEPS9018HF	2392	722	DEPS9018DF	3307	999	DEPS9018TF
	2000	1397	422	DEPS9020SF	2098	634	DEPS9020HF	2691	813	DEPS9020DF	3721	1124	DEPS9020TF
	2200	1552	469	DEPS9022SF	2331	704	DEPS9022HF	2990	903	DEPS9022DF	4134	1249	DEPS9022TF
2400	1707	516	DEPS9024SF	2564	774	DEPS9024HF	3290	993	DEPS9024DF				
2600	1862	562	DEPS9026SF	2798	845	DEPS9026HF	3589	1084	DEPS9026DF				

# DeepClean Extra+ - Sloped Top - IP3X Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

150mm

165mm

200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T20$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T20$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T20$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T20$ )	Product Code
1000	600	350	106	DEPS1006SF	527	159	DEPS1006HF	672	203	DEPS1006DF	928	280	DEPS1006TF
	700	438	132	DEPS1007SF	659	199	DEPS1007HF	840	254	DEPS1007DF	1160	350	DEPS1007TF
	800	525	158	DEPS1008SF	790	239	DEPS1008HF	1008	304	DEPS1008DF	1391	420	DEPS1008TF
	900	612	185	DEPS1009SF	922	279	DEPS1009HF	1176	355	DEPS1009DF	1623	490	DEPS1009TF
	1000	699	211	DEPS1010SF	1054	318	DEPS1010HF	1344	406	DEPS1010DF	1855	560	DEPS1010TF
	1100	787	238	DEPS1011SF	1186	358	DEPS1011HF	1512	457	DEPS1011DF	2087	630	DEPS1011TF
	1200	874	264	DEPS1012SF	1318	398	DEPS1012HF	1680	507	DEPS1012DF	2319	700	DEPS1012TF
	1300	962	290	DEPS1013SF	1450	438	DEPS1013HF	1848	558	DEPS1013DF	2551	770	DEPS1013TF
	1400	1050	317	DEPS1014SF	1581	477	DEPS1014HF	2016	609	DEPS1014DF	2783	841	DEPS1014TF
	1500	1137	343	DEPS1015SF	1713	517	DEPS1015HF	2184	660	DEPS1015DF			
	1600	1224	370	DEPS1016SF	1845	557	DEPS1016HF	2352	710	DEPS1016DF	3247	981	DEPS1016TF
	1700	1312	396	DEPS1017SF				2520	761	DEPS1017DF			
	1800	1399	423	DEPS1018SF	2108	637	DEPS1018HF	2688	812	DEPS1018DF	3710	1121	DEPS1018TF
	2000	1574	475	DEPS1020SF	2372	716	DEPS1020HF	3024	913	DEPS1020DF			
2200	1749	528	DEPS1022SF				3360	1015	DEPS1022DF				
2400	1924	581	DEPS1024SF				3696	1116	DEPS1024DF				
2600	2098	634	DEPS1026SF				4032	1218	DEPS1026DF				

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T20$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T20$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T20$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T20$ )	Product Code
1200	600	419	127	DEPS1206SF	640	193	DEPS1206HF	802	242	DEPS1206DF	1103	333	DEPS1206TF
	700	525	158	DEPS1207SF	800	242	DEPS1207HF	1003	303	DEPS1207DF	1379	417	DEPS1207TF
	800	630	190	DEPS1208SF	959	290	DEPS1208HF	1203	363	DEPS1208DF	1655	500	DEPS1208TF
	900	734	222	DEPS1209SF	1119	338	DEPS1209HF	1404	424	DEPS1209DF	1931	583	DEPS1209TF
	1000	839	253	DEPS1210SF	1280	387	DEPS1210HF	1605	485	DEPS1210DF	2206	666	DEPS1210TF
	1100	944	285	DEPS1211SF				1805	545	DEPS1211DF	2482	750	DEPS1211TF
	1200	1049	317	DEPS1212SF				2006	606	DEPS1212DF	2758	833	DEPS1212TF
	1300	1154	348	DEPS1213SF				2206	666	DEPS1213DF			
	1400	1258	380	DEPS1214SF				2406	727	DEPS1214DF			
	1500							2607	787	DEPS1215DF			
1600	1468	443	DEPS1216SF				2808	848	DEPS1216DF				

\*For installations where the guard does not extend to the floor, a base plate can be supplied. If this is required, please add **BP** to the end of the product code.\*

■ \*Please note: the highlighted lines are on an 13-17 weeks lead time.\*