


DeepClean Extra - Sloped Top - Wall Mounted - IP3X Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

150mm

165mm


200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code
600	600	173	52	DESW6006SF	262	79	DESW6006HF	337	102	DESW6006DF			
	700	217	65	DESW6007SF	328	99	DESW6007HF	421	127	DESW6007DF	582	176	DESW6007TF
	800	260	79	DESW6008SF	394	119	DESW6008HF	505	152	DESW6008DF	698	211	DESW6008TF
	900	303	92	DESW6009SF	459	139	DESW6009HF	589	178	DESW6009DF	814	246	DESW6009TF
	1000	346	105	DESW6010SF	525	158	DESW6010HF	674	203	DESW6010DF			
	1100	390	118	DESW6011SF	590	178	DESW6011HF	758	229	DESW6011DF	1046	316	DESW6011TF
	1200	433	131	DESW6012SF	656	198	DESW6012HF	842	254	DESW6012DF	1162	351	DESW6012TF
	1300	476	144	DESW6013SF	722	218	DESW6013HF	923	279	DESW6013DF	1278	386	DESW6013TF
	1400	519	157	DESW6014SF	787	238	DESW6014HF	1010	305	DESW6014DF	1395	421	DESW6014TF
	1500	562	170	DESW6015SF									
	1600	606	183	DESW6016SF	918	277	DESW6016HF	1178	356	DESW6016DF	1627	491	DESW6016TF
	1800	693	209	DESW6018SF	1050	317	DESW6018HF	1346	407	DESW6018DF	1860	562	DESW6018TF
	2000	779	235	DESW6020SF	1181	357	DESW6020HF	1515	458	DESW6020DF	2092	632	DESW6020TF
	2200	866	261	DESW6022SF				1683	508	DESW6022DF	2325	702	DESW6022TF
2400	952	288	DESW6024SF				1851	559	DESW6024DF				
2600	1038	314	DESW6026SF				2020	610	DESW6026DF				

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code
700	600	223	67	DESW7006SF	334	101	DESW7006HF	431	130	DESW7006DF			
	700	279	84	DESW7007SF	418	126	DESW7007HF	539	163	DESW7007DF	746	225	DESW7007TF
	800	334	101	DESW7008SF	502	151	DESW7008HF	646	195	DESW7008DF	894	270	DESW7008TF
	900	390	118	DESW7009SF	586	177	DESW7009HF	754	228	DESW7009DF	1043	315	DESW7009TF
	1000	446	135	DESW7010SF	669	202	DESW7010HF	862	260	DESW7010DF	1192	360	DESW7010TF
	1100	502	151	DESW7011SF	753	227	DESW7011HF	970	293	DESW7011DF	1342	405	DESW7011TF
	1200	558	168	DESW7012SF	836	252	DESW7012HF	1078	325	DESW7012DF	1490	450	DESW7012TF
	1300	614	185	DESW7013SF	920	278	DESW7013HF	1186	358	DESW7013DF	1639	495	DESW7013TF
	1400	669	202	DESW7014SF	1003	303	DESW7014HF	1293	390	DESW7014DF	1789	540	DESW7014TF
	1500	725	219	DESW7015SF	1087	328	DESW7015HF	1401	423	DESW7015DF			
	1600	781	236	DESW7016SF	1170	353	DESW7016HF	1509	456	DESW7016DF			
	1700	837	253	DESW7017SF	1254	379	DESW7017HF	1617	488	DESW7017DF			
	1800	892	269	DESW7018SF	1338	404	DESW7018HF	1724	521	DESW7018DF	2385	720	DESW7018TF
	2000	1004	303	DESW7020SF	1505	454	DESW7020HF	1940	586	DESW7020DF	2682	810	DESW7020TF
2200	1115	337	DESW7022SF	1672	505	DESW7022HF	2155	651	DESW7022DF	2981	900	DESW7022TF	
2400	1226	370	DESW7024SF	1839	555	DESW7024HF	2370	716	DESW7024DF	3279	990	DESW7024TF	
2600	1338	404	DESW7026SF	2006	606	DESW7026HF	2586	781	DESW7026DF				

DeepClean Extra - Sloped Top - Wall Mounted - IP3X Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

150mm

165mm


200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code
800	500	201	61	DESW8005SF									
	600	268	81	DESW8006SF	402	122	DESW8006HF	518	157	DESW8006DF			
	700	335	101	DESW8007SF	503	152	DESW8007HF	648	196	DESW8007DF	896	271	DESW8007TF
	800	402	122	DESW8008SF	603	182	DESW8008HF	777	235	DESW8008DF	1074	324	DESW8008TF
	900	470	142	DESW8009SF	704	213	DESW8009HF	906	274	DESW8009DF	1254	379	DESW8009TF
	1000	536	162	DESW8010SF	805	243	DESW8010HF	1036	313	DESW8010DF	1433	433	DESW8010TF
	1100	603	182	DESW8011SF	905	273	DESW8011HF	1166	352	DESW8011DF	1612	487	DESW8011TF
	1200	670	202	DESW8012SF	1006	304	DESW8012HF	1295	391	DESW8012DF	1791	541	DESW8012TF
	1300	738	223	DESW8013SF	1106	334	DESW8013HF	1425	430	DESW8013DF	1970	595	DESW8013TF
	1400	805	243	DESW8014SF	1206	364	DESW8014HF	1554	469	DESW8014DF	2150	649	DESW8014TF
	1500	871	263	DESW8015SF	1307	395	DESW8015HF	1684	509	DESW8015DF	2329	703	DESW8015TF
	1600	938	283	DESW8016SF	1408	425	DESW8016HF	1814	548	DESW8016DF	2508	757	DESW8016TF
	1700	1006	304	DESW8017SF	1509	456	DESW8017HF	1943	587	DESW8017DF			
	1800	1073	324	DESW8018SF	1609	486	DESW8018HF	2072	626	DESW8018DF			
	2000	1206	364	DESW8020SF	1810	547	DESW8020HF	2331	704	DESW8020DF	3224	974	DESW8020TF
2200	1341	405	DESW8022SF	2011	607	DESW8022HF	2590	782	DESW8022DF	3582	1082	DESW8022TF	
2400	1475	446	DESW8024SF	2212	668	DESW8024HF	2850	861	DESW8024DF	3941	1190	DESW8024TF	
2600	1609	486	DESW8026SF	2414	729	DESW8026HF	3109	939	DESW8026DF				

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code
900	500	233	70	DESW9005SF	350	106	DESW9005HF	449	136	DESW9005DF			
	600	310	94	DESW9006SF	466	141	DESW9006HF	598	181	DESW9006DF	827	250	DESW9006TF
	700	388	117	DESW9007SF	583	176	DESW9007HF	748	226	DESW9007DF	1034	312	DESW9007TF
	800	466	141	DESW9008SF	699	211	DESW9008HF	897	271	DESW9008DF	1240	374	DESW9008TF
	900	543	164	DESW9009SF	816	246	DESW9009HF	1046	316	DESW9009DF	1447	437	DESW9009TF
	1000	621	187	DESW9010SF	933	282	DESW9010HF	1196	361	DESW9010DF	1654	499	DESW9010TF
	1100	698	211	DESW9011SF	1049	317	DESW9011HF	1346	406	DESW9011DF	1861	562	DESW9011TF
	1200	776	234	DESW9012SF	1166	352	DESW9012HF	1495	452	DESW9012DF	2067	624	DESW9012TF
	1300	854	258	DESW9013SF	1282	387	DESW9013HF	1645	497	DESW9013DF	2274	687	DESW9013TF
	1400	931	281	DESW9014SF	1398	422	DESW9014HF	1794	542	DESW9014DF	2481	749	DESW9014TF
	1500	1009	305	DEWS9015SF	1515	458	DESW9015HF	1944	587	DESW9015DF			
	1600	1086	328	DESW9016SF	1632	493	DESW9016HF	2094	632	DESW9016DF	2894	874	DESW9016TF
	1700	1164	352	DESW9017SF	1749	528	DESW9017HF	2243	677	DESW9017DF			
	1800	1242	375	DESW9018SF	1865	563	DESW9018HF	2392	722	DESW9018DF	3307	999	DESW9018TF
	2000	1397	422	DESW9020SF	2098	634	DESW9020HF	2691	813	DESW9020DF	3721	1124	DESW9020TF
2200	1552	469	DESW9022SF	2331	704	DESW9022HF	2990	903	DESW9022DF	4134	1249	DESW9022TF	
2400	1707	516	DESW9024SF	2564	774	DESW9024HF	3290	993	DESW9024DF				
2600	1862	562	DESW9026SF	2798	845	DESW9026HF	3589	1084	DESW9026DF				

DeepClean Extra - Sloped Top - Wall Mounted - IP3X Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

150mm

165mm

200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code
1000	600	350	106	DESW1006SF	527	159	DESW1006HF	672	203	DESW1006DF	928	280	DESW1006TF
	700	438	132	DESW1007SF	659	199	DESW1007HF	840	254	DESW1007DF	1160	350	DESW1007TF
	800	525	158	DESW1008SF	790	239	DESW1008HF	1008	304	DESW1008DF	1391	420	DESW1008TF
	900	612	185	DESW1009SF	922	279	DESW1009HF	1176	355	DESW1009DF	1623	490	DESW1009TF
	1000	699	211	DESW1010SF	1054	318	DESW1010HF	1344	406	DESW1010DF	1855	560	DESW1010TF
	1100	787	238	DESW1011SF	1186	358	DESW1011HF	1512	457	DESW1011DF	2087	630	DESW1011TF
	1200	874	264	DESW1012SF	1318	398	DESW1012HF	1680	507	DESW1012DF	2319	700	DESW1012TF
	1300	962	290	DESW1013SF	1450	438	DESW1013HF	1848	558	DESW1013DF	2551	770	DESW1013TF
	1400	1050	317	DESW1014SF	1581	477	DESW1014HF	2016	609	DESW1014DF	2783	841	DESW1014TF
	1500	1137	343	DESW1015SF	1713	517	DESW1015HF	2184	660	DESW1015DF			
	1600	1224	370	DESW1016SF	1845	557	DESW1016HF	2352	710	DESW1016DF	3247	981	DESW1016TF
	1700	1312	396	DESW1017SF				2520	761	DESW1017DF			
	1800	1399	423	DESW1018SF	2108	637	DESW1018HF	2688	812	DESW1018DF	3710	1121	DESW1018TF
	2000	1574	475	DESW1020SF	2372	716	DESW1020HF	3024	913	DESW1020DF			
2200	1749	528	DESW1022SF				3360	1015	DESW1022DF				
2400	1924	581	DESW1024SF				3696	1116	DESW1024DF				
2600	2098	634	DESW1026SF				4032	1218	DESW1026DF				

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code
1200	600	419	127	DESW1206SF	640	193	DESW1206HF	802	242	DESW1206DF	1103	333	DESW1206TF
	700	525	158	DESW1207SF	800	242	DESW1207HF	1003	303	DESW1207DF	1379	417	DESW1207TF
	800	630	190	DESW1208SF	959	290	DESW1208HF	1203	363	DESW1208DF	1655	500	DESW1208TF
	900	734	222	DESW1209SF	1119	338	DESW1209HF	1404	424	DESW1209DF	1931	583	DESW1209TF
	1000	839	253	DESW1210SF	1280	387	DESW1210HF	1605	485	DESW1210DF	2206	666	DESW1210TF
	1100	944	285	DESW1211SF				1805	545	DESW1211DF	2482	750	DESW1211TF
	1200	1049	317	DESW1212SF				2006	606	DESW1212DF	2758	833	DESW1212TF
	1300	1154	348	DESW1213SF				2206	666	DESW1213DF			
	1400	1258	380	DESW1214SF				2406	727	DESW1214DF			
	1500							2607	787	DESW1215DF			
1600	1468	443	DESW1216SF				2808	848	DESW1216DF				

*For installations where the guard does not extend to the floor, a base plate can be supplied. If this is required, please add **BP** to the end of the product code.*

■ *Please note: the highlighted lines are on an 13-17 weeks lead time.*