


DeepClean Extra - Sloped Top - Wall Mounted - IP3X Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

150mm

165mm


200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33			
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	
600	600	173	66	DESW6006SF	262	100	DESW6006HF	337	129	DESW6006DF				
	700	217	83	DESW6007SF	328	126	DESW6007HF	421	161	DESW6007DF	582	223	DESW6007TF	
	800	260	100	DESW6008SF	394	151	DESW6008HF	505	193	DESW6008DF	698	267	DESW6008TF	
	900	303	116	DESW6009SF	459	176	DESW6009HF	589	226	DESW6009DF	814	312	DESW6009TF	
	1000	346	133	DESW6010SF	525	201	DESW6010HF	674	258	DESW6010DF				
	1100	390	149	DESW6011SF	590	226	DESW6011HF	758	290	DESW6011DF	1046	401	DESW6011TF	
	1200	433	166	DESW6012SF	656	251	DESW6012HF	842	322	DESW6012DF	1162	445	DESW6012TF	
	1300	476	182	DESW6013SF	722	276	DESW6013HF	923	354	DESW6013DF	1278	490	DESW6013TF	
	1400	519	199	DESW6014SF	787	301	DESW6014HF	1010	387	DESW6014DF	1395	534	DESW6014TF	
	1500	562	215	DESW6015SF										
	1600	606	232	DESW6016SF	918	352	DESW6016HF	1178	451	DESW6016DF	1627	623	DESW6016TF	
	1800	693	265	DESW6018SF	1050	402	DESW6018HF	1346	516	DESW6018DF	1860	712	DESW6018TF	
	2000	779	298	DESW6020SF	1181	452	DESW6020HF	1515	580	DESW6020DF	2092	801	DESW6020TF	
	2200	866	332	DESW6022SF				1683	645	DESW6022DF	2325	890	DESW6022TF	
2400	952	365	DESW6024SF				1851	709	DESW6024DF					
2600	1038	398	DESW6026SF				2020	774	DESW6026DF					

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code
700	600	223	85	DESW7006SF	334	128	DESW7006HF	431	165	DESW7006DF			
	700	279	107	DESW7007SF	418	160	DESW7007HF	539	207	DESW7007DF	746	286	DESW7007TF
	800	334	128	DESW7008SF	502	192	DESW7008HF	646	248	DESW7008DF	894	343	DESW7008TF
	900	390	150	DESW7009SF	586	224	DESW7009HF	754	289	DESW7009DF	1043	400	DESW7009TF
	1000	446	171	DESW7010SF	669	256	DESW7010HF	862	330	DESW7010DF	1192	457	DESW7010TF
	1100	502	192	DESW7011SF	753	288	DESW7011HF	970	371	DESW7011DF	1342	514	DESW7011TF
	1200	558	214	DESW7012SF	836	320	DESW7012HF	1078	413	DESW7012DF	1490	571	DESW7012TF
	1300	614	235	DESW7013SF	920	352	DESW7013HF	1186	454	DESW7013DF	1639	628	DESW7013TF
	1400	669	256	DESW7014SF	1003	384	DESW7014HF	1293	495	DESW7014DF	1789	685	DESW7014TF
	1500	725	278	DESW7015SF	1087	416	DESW7015HF	1401	537	DESW7015DF			
	1600	781	299	DESW7016SF	1170	448	DESW7016HF	1509	578	DESW7016DF			
	1700	837	320	DESW7017SF	1254	480	DESW7017HF	1617	619	DESW7017DF			
	1800	892	342	DESW7018SF	1338	512	DESW7018HF	1724	660	DESW7018DF	2385	913	DESW7018TF
	2000	1004	385	DESW7020SF	1505	576	DESW7020HF	1940	743	DESW7020DF	2682	1027	DESW7020TF
2200	1115	427	DESW7022SF	1672	640	DESW7022HF	2155	825	DESW7022DF	2981	1142	DESW7022TF	
2400	1226	470	DESW7024SF	1839	704	DESW7024HF	2370	908	DESW7024DF	3279	1256	DESW7024TF	
2600	1338	513	DESW7026SF	2006	768	DESW7026HF	2586	991	DESW7026DF				

DeepClean Extra - Sloped Top - Wall Mounted - IP3X Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

150mm

165mm


200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code
800	500	201	77	DESW8005SF									
	600	268	103	DESW8006SF	402	154	DESW8006HF	518	199	DESW8006DF			
	700	335	128	DESW8007SF	503	193	DESW8007HF	648	248	DESW8007DF	896	343	DESW8007TF
	800	402	154	DESW8008SF	603	231	DESW8008HF	777	298	DESW8008DF	1074	411	DESW8008TF
	900	470	180	DESW8009SF	704	270	DESW8009HF	906	347	DESW8009DF	1254	480	DESW8009TF
	1000	536	205	DESW8010SF	805	308	DESW8010HF	1036	397	DESW8010DF	1433	549	DESW8010TF
	1100	603	231	DESW8011SF	905	347	DESW8011HF	1166	446	DESW8011DF	1612	617	DESW8011TF
	1200	670	257	DESW8012SF	1006	385	DESW8012HF	1295	496	DESW8012DF	1791	686	DESW8012TF
	1300	738	283	DESW8013SF	1106	424	DESW8013HF	1425	546	DESW8013DF	1970	755	DESW8013TF
	1400	805	308	DESW8014SF	1206	462	DESW8014HF	1554	595	DESW8014DF	2150	823	DESW8014TF
	1500	871	334	DESW8015SF	1307	501	DESW8015HF	1684	645	DESW8015DF	2329	892	DESW8015TF
	1600	938	359	DESW8016SF	1408	539	DESW8016HF	1814	695	DESW8016DF	2508	961	DESW8016TF
	1700	1006	385	DESW8017SF	1509	578	DESW8017HF	1943	744	DESW8017DF			
	1800	1073	411	DESW8018SF	1609	616	DESW8018HF	2072	794	DESW8018DF			
	2000	1206	462	DESW8020SF	1810	693	DESW8020HF	2331	893	DESW8020DF	3224	1235	DESW8020TF
2200	1341	514	DESW8022SF	2011	770	DESW8022HF	2590	992	DESW8022DF	3582	1372	DESW8022TF	
2400	1475	565	DESW8024SF	2212	847	DESW8024HF	2850	1091	DESW8024DF	3941	1509	DESW8024TF	
2600	1609	616	DESW8026SF	2414	924	DESW8026HF	3109	1191	DESW8026DF				

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code
900	500	233	89	DESW9005SF	350	134	DESW9005HF	449	172	DESW9005DF			
	600	310	119	DESW9006SF	466	179	DESW9006HF	598	229	DESW9006DF	827	317	DESW9006TF
	700	388	149	DESW9007SF	583	223	DESW9007HF	748	286	DESW9007DF	1034	396	DESW9007TF
	800	466	178	DESW9008SF	699	268	DESW9008HF	897	343	DESW9008DF	1240	475	DESW9008TF
	900	543	208	DESW9009SF	816	313	DESW9009HF	1046	401	DESW9009DF	1447	554	DESW9009TF
	1000	621	238	DESW9010SF	933	357	DESW9010HF	1196	458	DESW9010DF	1654	633	DESW9010TF
	1100	698	267	DESW9011SF	1049	402	DESW9011HF	1346	515	DESW9011DF	1861	713	DESW9011TF
	1200	776	297	DESW9012SF	1166	446	DESW9012HF	1495	573	DESW9012DF	2067	792	DESW9012TF
	1300	854	327	DESW9013SF	1282	491	DESW9013HF	1645	630	DESW9013DF	2274	871	DESW9013TF
	1400	931	357	DESW9014SF	1398	536	DESW9014HF	1794	687	DESW9014DF	2481	950	DESW9014TF
	1500	1009	386	DEWS9015SF	1515	580	DESW9015HF	1944	745	DESW9015DF			
	1600	1086	416	DESW9016SF	1632	625	DESW9016HF	2094	802	DESW9016DF	2894	1109	DESW9016TF
	1700	1164	446	DESW9017SF	1749	670	DESW9017HF	2243	859	DESW9017DF			
	1800	1242	476	DESW9018SF	1865	714	DESW9018HF	2392	916	DESW9018DF	3307	1267	DESW9018TF
	2000	1397	535	DESW9020SF	2098	804	DESW9020HF	2691	1031	DESW9020DF	3721	1425	DESW9020TF
2200	1552	594	DESW9022SF	2331	893	DESW9022HF	2990	1145	DESW9022DF	4134	1583	DESW9022TF	
2400	1707	654	DESW9024SF	2564	982	DESW9024HF	3290	1260	DESW9024DF				
2600	1862	713	DESW9026SF	2798	1071	DESW9026HF	3589	1375	DESW9026DF				

DeepClean Extra - Sloped Top - Wall Mounted - IP3X Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

150mm

165mm

200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code
1000	600	350	134	DESW1006SF	527	202	DESW1006HF	672	257	DESW1006DF	928	355	DESW1006TF
	700	438	168	DESW1007SF	659	252	DESW1007HF	840	322	DESW1007DF	1160	444	DESW1007TF
	800	525	201	DESW1008SF	790	303	DESW1008HF	1008	386	DESW1008DF	1391	533	DESW1008TF
	900	612	234	DESW1009SF	922	353	DESW1009HF	1176	450	DESW1009DF	1623	622	DESW1009TF
	1000	699	268	DESW1010SF	1054	404	DESW1010HF	1344	515	DESW1010DF	1855	711	DESW1010TF
	1100	787	301	DESW1011SF	1186	454	DESW1011HF	1512	579	DESW1011DF	2087	799	DESW1011TF
	1200	874	335	DESW1012SF	1318	505	DESW1012HF	1680	643	DESW1012DF	2319	888	DESW1012TF
	1300	962	368	DESW1013SF	1450	555	DESW1013HF	1848	708	DESW1013DF	2551	977	DESW1013TF
	1400	1050	402	DESW1014SF	1581	605	DESW1014HF	2016	772	DESW1014DF	2783	1066	DESW1014TF
	1500	1137	435	DESW1015SF	1713	656	DESW1015HF	2184	836	DESW1015DF			
	1600	1224	469	DESW1016SF	1845	707	DESW1016HF	2352	901	DESW1016DF	3247	1244	DESW1016TF
	1700	1312	502	DESW1017SF				2520	965	DESW1017DF			
	1800	1399	536	DESW1018SF	2108	807	DESW1018HF	2688	1030	DESW1018DF	3710	1421	DESW1018TF
	2000	1574	603	DESW1020SF	2372	908	DESW1020HF	3024	1158	DESW1020DF			
2200	1749	670	DESW1022SF				3360	1287	DESW1022DF				
2400	1924	737	DESW1024SF				3696	1416	DESW1024DF				
2600	2098	804	DESW1026SF				4032	1544	DESW1026DF				

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code
1200	600	419	161	DESW1206SF	640	245	DESW1206HF	802	307	DESW1206DF	1103	423	DESW1206TF
	700	525	201	DESW1207SF	800	306	DESW1207HF	1003	384	DESW1207DF	1379	528	DESW1207TF
	800	630	241	DESW1208SF	959	367	DESW1208HF	1203	461	DESW1208DF	1655	634	DESW1208TF
	900	734	281	DESW1209SF	1119	429	DESW1209HF	1404	538	DESW1209DF	1931	740	DESW1209TF
	1000	839	321	DESW1210SF	1280	490	DESW1210HF	1605	615	DESW1210DF	2206	845	DESW1210TF
	1100	944	362	DESW1211SF				1805	691	DESW1211DF	2482	951	DESW1211TF
	1200	1049	402	DESW1212SF				2006	768	DESW1212DF	2758	1056	DESW1212TF
	1300	1154	442	DESW1213SF				2206	845	DESW1213DF			
	1400	1258	482	DESW1214SF				2406	922	DESW1214DF			
	1500							2607	999	DESW1215DF			
1600	1468	562	DESW1216SF				2808	1075	DESW1216DF				

*For installations where the guard does not extend to the floor, a base plate can be supplied. If this is required, please add **BP** to the end of the product code.*

■ *Please note: the highlighted lines are on an 13-17 weeks lead time.*