


DeepClean Extra - Sloped Top - Wall Mounted - IP3X Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

150mm

165mm


200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33			
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	
600	600	173	89	DESW6006SF	262	135	DESW6006HF	337	173	DESW6006DF				
	700	217	111	DESW6007SF	328	168	DESW6007HF	421	216	DESW6007DF	582	298	DESW6007TF	
	800	260	133	DESW6008SF	394	202	DESW6008HF	505	259	DESW6008DF	698	358	DESW6008TF	
	900	303	156	DESW6009SF	459	236	DESW6009HF	589	302	DESW6009DF	814	417	DESW6009TF	
	1000	346	178	DESW6010SF	525	269	DESW6010HF	674	346	DESW6010DF				
	1100	390	200	DESW6011SF	590	303	DESW6011HF	758	389	DESW6011DF	1046	537	DESW6011TF	
	1200	433	222	DESW6012SF	656	337	DESW6012HF	842	432	DESW6012DF	1162	596	DESW6012TF	
	1300	476	244	DESW6013SF	722	370	DESW6013HF	923	474	DESW6013DF	1278	656	DESW6013TF	
	1400	519	266	DESW6014SF	787	404	DESW6014HF	1010	518	DESW6014DF	1395	716	DESW6014TF	
	1500	562	289	DESW6015SF										
	1600	606	311	DESW6016SF	918	471	DESW6016HF	1178	605	DESW6016DF	1627	835	DESW6016TF	
	1800	693	355	DESW6018SF	1050	538	DESW6018HF	1346	691	DESW6018DF	1860	954	DESW6018TF	
	2000	779	400	DESW6020SF	1181	606	DESW6020HF	1515	777	DESW6020DF	2092	1073	DESW6020TF	
	2200	866	444	DESW6022SF				1683	863	DESW6022DF	2325	1193	DESW6022TF	
2400	952	488	DESW6024SF				1851	950	DESW6024DF					
2600	1038	533	DESW6026SF				2020	1036	DESW6026DF					

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code
700	600	223	115	DESW7006SF	334	172	DESW7006HF	431	221	DESW7006DF			
	700	279	143	DESW7007SF	418	215	DESW7007HF	539	277	DESW7007DF	746	382	DESW7007TF
	800	334	172	DESW7008SF	502	257	DESW7008HF	646	332	DESW7008DF	894	459	DESW7008TF
	900	390	200	DESW7009SF	586	300	DESW7009HF	754	387	DESW7009DF	1043	535	DESW7009TF
	1000	446	229	DESW7010SF	669	343	DESW7010HF	862	442	DESW7010DF	1192	611	DESW7010TF
	1100	502	257	DESW7011SF	753	386	DESW7011HF	970	497	DESW7011DF	1342	688	DESW7011TF
	1200	558	286	DESW7012SF	836	429	DESW7012HF	1078	553	DESW7012DF	1490	765	DESW7012TF
	1300	614	315	DESW7013SF	920	472	DESW7013HF	1186	608	DESW7013DF	1639	841	DESW7013TF
	1400	669	343	DESW7014SF	1003	515	DESW7014HF	1293	663	DESW7014DF	1789	918	DESW7014TF
	1500	725	372	DESW7015SF	1087	558	DESW7015HF	1401	719	DESW7015DF			
	1600	781	401	DESW7016SF	1170	600	DESW7016HF	1509	774	DESW7016DF			
	1700	837	429	DESW7017SF	1254	644	DESW7017HF	1617	829	DESW7017DF			
	1800	892	458	DESW7018SF	1338	686	DESW7018HF	1724	884	DESW7018DF	2385	1223	DESW7018TF
	2000	1004	515	DESW7020SF	1505	772	DESW7020HF	1940	995	DESW7020DF	2682	1376	DESW7020TF
2200	1115	572	DESW7022SF	1672	858	DESW7022HF	2155	1106	DESW7022DF	2981	1529	DESW7022TF	
2400	1226	629	DESW7024SF	1839	944	DESW7024HF	2370	1216	DESW7024DF	3279	1682	DESW7024TF	
2600	1338	687	DESW7026SF	2006	1029	DESW7026HF	2586	1327	DESW7026DF				

DeepClean Extra - Sloped Top - Wall Mounted - IP3X Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

150mm

165mm


200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code
800	500	201	103	DESW8005SF									
	600	268	137	DESW8006SF	402	206	DESW8006HF	518	266	DESW8006DF			
	700	335	172	DESW8007SF	503	258	DESW8007HF	648	332	DESW8007DF	896	460	DESW8007TF
	800	402	206	DESW8008SF	603	309	DESW8008HF	777	398	DESW8008DF	1074	551	DESW8008TF
	900	470	241	DESW8009SF	704	361	DESW8009HF	906	465	DESW8009DF	1254	643	DESW8009TF
	1000	536	275	DESW8010SF	805	413	DESW8010HF	1036	531	DESW8010DF	1433	735	DESW8010TF
	1100	603	309	DESW8011SF	905	464	DESW8011HF	1166	598	DESW8011DF	1612	827	DESW8011TF
	1200	670	344	DESW8012SF	1006	516	DESW8012HF	1295	664	DESW8012DF	1791	919	DESW8012TF
	1300	738	378	DESW8013SF	1106	568	DESW8013HF	1425	731	DESW8013DF	1970	1011	DESW8013TF
	1400	805	413	DESW8014SF	1206	619	DESW8014HF	1554	797	DESW8014DF	2150	1103	DESW8014TF
	1500	871	447	DESW8015SF	1307	671	DESW8015HF	1684	864	DESW8015DF	2329	1195	DESW8015TF
	1600	938	481	DESW8016SF	1408	722	DESW8016HF	1814	930	DESW8016DF	2508	1287	DESW8016TF
	1700	1006	516	DESW8017SF	1509	774	DESW8017HF	1943	997	DESW8017DF			
	1800	1073	550	DESW8018SF	1609	825	DESW8018HF	2072	1063	DESW8018DF			
	2000	1206	619	DESW8020SF	1810	929	DESW8020HF	2331	1196	DESW8020DF	3224	1654	DESW8020TF
	2200	1341	688	DESW8022SF	2011	1032	DESW8022HF	2590	1329	DESW8022DF	3582	1838	DESW8022TF
2400	1475	757	DESW8024SF	2212	1135	DESW8024HF	2850	1462	DESW8024DF	3941	2022	DESW8024TF	
2600	1609	825	DESW8026SF	2414	1238	DESW8026HF	3109	1595	DESW8026DF				

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code
900	500	233	119	DESW9005SF	350	179	DESW9005HF	449	230	DESW9005DF			
	600	310	159	DESW9006SF	466	239	DESW9006HF	598	307	DESW9006DF	827	424	DESW9006TF
	700	388	199	DESW9007SF	583	299	DESW9007HF	748	384	DESW9007DF	1034	530	DESW9007TF
	800	466	239	DESW9008SF	699	359	DESW9008HF	897	460	DESW9008DF	1240	636	DESW9008TF
	900	543	279	DESW9009SF	816	419	DESW9009HF	1046	537	DESW9009DF	1447	742	DESW9009TF
	1000	621	318	DESW9010SF	933	479	DESW9010HF	1196	614	DESW9010DF	1654	848	DESW9010TF
	1100	698	358	DESW9011SF	1049	538	DESW9011HF	1346	690	DESW9011DF	1861	955	DESW9011TF
	1200	776	398	DESW9012SF	1166	598	DESW9012HF	1495	767	DESW9012DF	2067	1060	DESW9012TF
	1300	854	438	DESW9013SF	1282	658	DESW9013HF	1645	844	DESW9013DF	2274	1166	DESW9013TF
	1400	931	478	DESW9014SF	1398	717	DESW9014HF	1794	921	DESW9014DF	2481	1273	DESW9014TF
	1500	1009	518	DEWS9015SF	1515	777	DESW9015HF	1944	997	DESW9015DF			
	1600	1086	557	DESW9016SF	1632	837	DESW9016HF	2094	1074	DESW9016DF	2894	1485	DESW9016TF
	1700	1164	597	DESW9017SF	1749	897	DESW9017HF	2243	1151	DESW9017DF			
	1800	1242	637	DESW9018SF	1865	957	DESW9018HF	2392	1227	DESW9018DF	3307	1697	DESW9018TF
	2000	1397	717	DESW9020SF	2098	1076	DESW9020HF	2691	1381	DESW9020DF	3721	1909	DESW9020TF
	2200	1552	796	DESW9022SF	2331	1196	DESW9022HF	2990	1534	DESW9022DF	4134	2121	DESW9022TF
2400	1707	876	DESW9024SF	2564	1315	DESW9024HF	3290	1688	DESW9024DF				
2600	1862	955	DESW9026SF	2798	1435	DESW9026HF	3589	1841	DESW9026DF				

DeepClean Extra - Sloped Top - Wall Mounted - IP3X Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

150mm

165mm

200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code
1000	600	350	179	DESW1006SF	527	270	DESW1006HF	672	345	DESW1006DF	928	476	DESW1006TF
	700	438	224	DESW1007SF	659	338	DESW1007HF	840	431	DESW1007DF	1160	595	DESW1007TF
	800	525	269	DESW1008SF	790	405	DESW1008HF	1008	517	DESW1008DF	1391	714	DESW1008TF
	900	612	314	DESW1009SF	922	473	DESW1009HF	1176	603	DESW1009DF	1623	833	DESW1009TF
	1000	699	359	DESW1010SF	1054	541	DESW1010HF	1344	689	DESW1010DF	1855	952	DESW1010TF
	1100	787	404	DESW1011SF	1186	608	DESW1011HF	1512	776	DESW1011DF	2087	1071	DESW1011TF
	1200	874	449	DESW1012SF	1318	676	DESW1012HF	1680	862	DESW1012DF	2319	1190	DESW1012TF
	1300	962	493	DESW1013SF	1450	744	DESW1013HF	1848	948	DESW1013DF	2551	1309	DESW1013TF
	1400	1050	538	DESW1014SF	1581	811	DESW1014HF	2016	1034	DESW1014DF	2783	1428	DESW1014TF
	1500	1137	583	DESW1015SF	1713	879	DESW1015HF	2184	1120	DESW1015DF			
	1600	1224	628	DESW1016SF	1845	946	DESW1016HF	2352	1207	DESW1016DF	3247	1666	DESW1016TF
	1700	1312	673	DESW1017SF				2520	1293	DESW1017DF			
	1800	1399	718	DESW1018SF	2108	1081	DESW1018HF	2688	1379	DESW1018DF	3710	1903	DESW1018TF
	2000	1574	807	DESW1020SF	2372	1217	DESW1020HF	3024	1551	DESW1020DF			
2200	1749	897	DESW1022SF				3360	1724	DESW1022DF				
2400	1924	987	DESW1024SF				3696	1896	DESW1024DF				
2600	2098	1076	DESW1026SF				4032	2068	DESW1026DF				

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code
1200	600	419	215	DESW1206SF	640	328	DESW1206HF	802	412	DESW1206DF	1103	566	DESW1206TF
	700	525	269	DESW1207SF	800	410	DESW1207HF	1003	515	DESW1207DF	1379	708	DESW1207TF
	800	630	323	DESW1208SF	959	492	DESW1208HF	1203	617	DESW1208DF	1655	849	DESW1208TF
	900	734	377	DESW1209SF	1119	574	DESW1209HF	1404	720	DESW1209DF	1931	991	DESW1209TF
	1000	839	431	DESW1210SF	1280	657	DESW1210HF	1605	823	DESW1210DF	2206	1132	DESW1210TF
	1100	944	484	DESW1211SF				1805	926	DESW1211DF	2482	1273	DESW1211TF
	1200	1049	538	DESW1212SF				2006	1029	DESW1212DF	2758	1415	DESW1212TF
	1300	1154	592	DESW1213SF				2206	1132	DESW1213DF			
	1400	1258	646	DESW1214SF				2406	1234	DESW1214DF			
	1500							2607	1337	DESW1215DF			
1600	1468	753	DESW1216SF				2808	1441	DESW1216DF				

*For installations where the guard does not extend to the floor, a base plate can be supplied. If this is required, please add **BP** to the end of the product code.*

■ *Please note: the highlighted lines are on an 13-17 weeks lead time.*