


# DeepClean - Flat Top - Floor Mounted - Standard Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

145mm

165mm

200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33			
		Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	
550	600	192	74	DFF5506SF	292	112	DFF5506HF	375	144	DFF5506DF				
	700	241	92	DFF5507SF	365	140	DFF5507HF	468	179	DFF5507DF	647	248	DFF5507TF	
	800	289	111	DFF5508SF	438	168	DFF5508HF	562	215	DFF5508DF	776	297	DFF5508TF	
	900	337	129	DFF5509SF	511	196	DFF5509HF	655	251	DFF5509DF	905	347	DFF5509TF	
	1000	385	148	DFF5510SF	584	224	DFF5510HF	749	287	DFF5510DF				
	1100	433	166	DFF5511SF	657	252	DFF5511HF	843	323	DFF5511DF	1164	446	DFF5511TF	
	1200	481	184	DFF5512SF	730	280	DFF5512HF	936	359	DFF5512DF	1293	495	DFF5512TF	
	1300	530	203	DFF5513SF	803	307	DFF5513HF	1027	393	DFF5513DF	1422	545	DFF5513TF	
	1400	578	221	DFF5514SF	876	335	DFF5514HF	1123	430	DFF5514DF	1552	594	DFF5514TF	
	1500	626	240	DFF5515SF										
	1600	674	258	DFF5516SF	1022	391	DFF5516HF	1311	502	DFF5516DF	1810	693	DFF5516TF	
	1800	771	295	DFF5518SF	1168	447	DFF5518HF	1498	574	DFF5518DF	2069	793	DFF5518TF	
	2000	867	332	DFF5520SF	1314	503	DFF5520HF	1686	646	DFF5520DF	2327	891	DFF5520TF	
	2200	963	369	DFF5522SF				1873	717	DFF5522DF	2586	991	DFF5522TF	
2400	1059	406	DFF5524SF				2059	789	DFF5524DF					
2600	1155	442	DFF5526SF				2247	861	DFF5526DF					

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code
650	600	248	95	DFF6506SF	372	142	DFF6506HF	480	184	DFF6506DF			
	700	311	119	DFF6507SF	465	178	DFF6507HF	600	230	DFF6507DF	829	318	DFF6507TF
	800	372	142	DFF6508SF	558	214	DFF6508HF	719	275	DFF6508DF	995	381	DFF6508TF
	900	434	166	DFF6509SF	651	250	DFF6509HF	839	321	DFF6509DF	1161	444	DFF6509TF
	1000	497	190	DFF6510SF	744	285	DFF6510HF	959	367	DFF6510DF	1326	508	DFF6510TF
	1100	558	214	DFF6511SF	837	321	DFF6511HF	1079	413	DFF6511DF	1493	572	DFF6511TF
	1200	620	238	DFF6512SF	930	356	DFF6512HF	1199	459	DFF6512DF	1658	635	DFF6512TF
	1300	683	261	DFF6513SF	1024	392	DFF6513HF	1319	505	DFF6513DF	1824	698	DFF6513TF
	1400	744	285	DFF6514SF	1116	427	DFF6514HF	1438	551	DFF6514DF	1990	762	DFF6514TF
	1500	806	309	DFF6515SF	1210	463	DFF6515HF	1558	597	DFF6515DF			
	1600	869	333	DFF6516SF	1302	499	DFF6516HF	1679	643	DFF6516DF			
	1700	931	357	DFF6517SF	1396	534	DFF6517HF	1799	689	DFF6517DF			
	1800	992	380	DFF6518SF	1488	570	DFF6518HF	1918	735	DFF6518DF	2653	1016	DFF6518TF
	2000	1117	428	DFF6520SF	1674	641	DFF6520HF	2158	827	DFF6520DF	2984	1143	DFF6520TF
2200	1241	475	DFF6522SF	1860	712	DFF6522HF	2398	918	DFF6522DF	3316	1270	DFF6522TF	
2400	1364	523	DFF6524SF	2046	784	DFF6524HF	2637	1010	DFF6524DF	3648	1397	DFF6524TF	
2600	1489	570	DFF6526SF	2232	855	DFF6526HF	2877	1102	DFF6526DF				

# DeepClean - Flat Top - Floor Mounted - Standard Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

145mm

165mm


200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code
750	500	223	86	DFF7505SF									
	600	298	114	DFF7506SF	448	171	DFF7506HF	577	221	DFF7506DF			
	700	373	143	DFF7507SF	560	214	DFF7507HF	721	276	DFF7507DF	997	382	DFF7507TF
	800	448	171	DFF7508SF	671	257	DFF7508HF	864	331	DFF7508DF	1195	458	DFF7508TF
	900	522	200	DFF7509SF	783	300	DFF7509HF	1008	386	DFF7509DF	1395	534	DFF7509TF
	1000	596	228	DFF7510SF	895	343	DFF7510HF	1153	441	DFF7510DF	1594	610	DFF7510TF
	1100	671	257	DFF7511SF	1007	386	DFF7511HF	1297	497	DFF7511DF	1793	687	DFF7511TF
	1200	746	286	DFF7512SF	1119	428	DFF7512HF	1441	552	DFF7512DF	1993	763	DFF7512TF
	1300	821	314	DFF7513SF	1231	471	DFF7513HF	1585	607	DFF7513DF	2192	840	DFF7513TF
	1400	895	343	DFF7514SF	1342	514	DFF7514HF	1729	662	DFF7514DF	2391	916	DFF7514TF
	1500	969	371	DFF7515SF	1454	557	DFF7515HF	1873	718	DFF7515DF	2591	992	DFF7515TF
	1600	1044	400	DFF7516SF	1566	600	DFF7516HF	2018	773	DFF7516DF	2790	1069	DFF7516TF
	1700	1119	428	DFF7517SF	1679	643	DFF7517HF	2162	828	DFF7517DF			
	1800	1193	457	DFF7518SF	1790	685	DFF7518HF	2305	883	DFF7518DF			
	2000	1342	514	DFF7520SF	2014	771	DFF7520HF	2593	993	DFF7520DF	3587	1374	DFF7520TF
	2200	1492	571	DFF7522SF	2237	857	DFF7522HF	2882	1104	DFF7522DF	3985	1526	DFF7522TF
2400	1641	629	DFF7524SF	2461	943	DFF7524HF	3170	1214	DFF7524DF	4384	1679	DFF7524TF	
2600	1790	685	DFF7526SF	2685	1028	DFF7526HF	3459	1325	DFF7526DF				

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code
850	500	259	99	DFF8505SF	389	149	DFF8505HF	499	191	DFF8505DF			
	600	345	132	DFF8506SF	519	199	DFF8506HF	666	255	DFF8506DF	920	352	DFF8506TF
	700	432	165	DFF8507SF	649	248	DFF8507HF	832	319	DFF8507DF	1150	440	DFF8507TF
	800	518	198	DFF8508SF	778	298	DFF8508HF	998	382	DFF8508DF	1380	528	DFF8508TF
	900	604	231	DFF8509SF	908	348	DFF8509HF	1164	446	DFF8509DF	1610	617	DFF8509TF
	1000	691	265	DFF8510SF	1038	397	DFF8510HF	1331	510	DFF8510DF	1840	705	DFF8510TF
	1100	777	298	DFF8511SF	1167	447	DFF8511HF	1497	573	DFF8511DF	2070	793	DFF8511TF
	1200	863	331	DFF8512SF	1297	497	DFF8512HF	1663	637	DFF8512DF	2300	881	DFF8512TF
	1300	950	364	DFF8513SF	1427	546	DFF8513HF	1830	701	DFF8513DF	2529	969	DFF8513TF
	1400	1036	397	DFF8514SF	1556	596	DFF8514HF	1996	765	DFF8514DF	2760	1057	DFF8514TF
	1500	1122	430	DFF8515SF	1686	646	DFF8515HF	2163	828	DFF8515DF			
	1600	1209	463	DFF8516SF	1816	695	DFF8516HF	2329	892	DFF8516DF	3220	1233	DFF8516TF
	1700	1295	496	DFF8517SF	1946	745	DFF8517HF	2496	956	DFF8517DF			
	1800	1381	529	DFF8518SF	2075	795	DFF8518HF	2661	1019	DFF8518DF	3679	1409	DFF8518TF
	2000	1554	595	DFF8520SF	2334	894	DFF8520HF	2994	1147	DFF8520DF	4139	1585	DFF8520TF
	2200	1727	661	DFF8522SF	2593	993	DFF8522HF	3327	1274	DFF8522DF	4600	1762	DFF8522TF
2400	1899	727	DFF8524SF	2852	1092	DFF8524HF	3660	1402	DFF8524DF				
2600	2072	794	DFF8526SF	3112	1192	DFF8526HF	3993	1529	DFF8526DF				

# DeepClean - Flat Top - Floor Mounted - Standard Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

145mm

165mm

200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code
950	600	389	149	DFF9506SF	587	225	DFF9506HF	748	286	DFF9506DF	1032	395	DFF9506TF
	700	487	186	DFF9507SF	733	281	DFF9507HF	935	358	DFF9507DF	1291	494	DFF9507TF
	800	584	224	DFF9508SF	879	337	DFF9508HF	1121	429	DFF9508DF	1548	593	DFF9508TF
	900	681	261	DFF9509SF	1026	393	DFF9509HF	1308	501	DFF9509DF	1806	692	DFF9509TF
	1000	778	298	DFF9510SF	1173	449	DFF9510HF	1495	573	DFF9510DF	2064	790	DFF9510TF
	1100	876	335	DFF9511SF	1319	505	DFF9511HF	1682	644	DFF9511DF	2322	889	DFF9511TF
	1200	973	373	DFF9512SF	1466	561	DFF9512HF	1869	716	DFF9512DF	2580	988	DFF9512TF
	1300	1070	410	DFF9513SF	1613	618	DFF9513HF	2056	787	DFF9513DF	2838	1087	DFF9513TF
	1400	1168	447	DFF9514SF	1759	674	DFF9514HF	2243	859	DFF9514DF	3096	1186	DFF9514TF
	1500	1265	484	DFF9515SF	1905	730	DFF9515HF	2430	931	DFF9515DF			
	1600	1362	522	DFF9516SF	2052	786	DFF9516HF	2617	1002	DFF9516DF	3613	1384	DFF9516TF
	1700	1460	559	DFF9517SF				2804	1074	DFF9517DF			
	1800	1557	596	DFF9518SF	2345	898	DFF9518HF	2990	1145	DFF9518DF	4128	1581	DFF9518TF
	2000	1751	670	DFF9520SF	2639	1011	DFF9520HF	3364	1288	DFF9520DF			
	2200	1946	745	DFF9522SF				3738	1432	DFF9522DF			
2400	2140	820	DFF9524SF				4112	1575	DFF9524DF				
2600	2334	894	DFF9526SF				4486	1718	DFF9526DF				

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code
1150	600	466	179	DFF1106SF	712	273	DFF1106HF	893	342	DFF1106DF	1227	470	DFF1106TF
	700	584	224	DFF1107SF	890	341	DFF1107HF	1116	427	DFF1107DF	1534	588	DFF1107TF
	800	700	268	DFF1108SF	1067	409	DFF1108HF	1339	513	DFF1108DF	1841	705	DFF1108TF
	900	817	313	DFF1109SF	1245	477	DFF1109HF	1562	598	DFF1109DF	2148	823	DFF1109TF
	1000	934	358	DFF1110SF	1424	545	DFF1110HF	1785	684	DFF1110DF	2455	940	DFF1110TF
	1100	1050	402	DFF1111SF				2008	769	DFF1111DF	2762	1058	DFF1111TF
	1200	1167	447	DFF1112SF				2231	855	DFF1112DF	3069	1175	DFF1112TF
	1300	1283	492	DFF1113SF				2455	940	DFF1113DF			
	1400	1400	536	DFF1114SF				2677	1025	DFF1114DF			
	1500							2901	1111	DFF1115DF			
	1600	1633	625	DFF1116SF				3124	1196	DFF1116DF			

\*For installations where the guard does not extend to the floor, a base plate can be supplied. If this is required, please add **BP** to the end of the product code.\*

■ \*Please note: the highlighted lines are on an 13-17 weeks lead time.\*