


DeepClean - Flat Top - Wall Mounted - Standard Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

145mm

165mm


200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code
550	600	192	58	DFW5506SF	292	88	DFW5506HF	375	113	DFW5506DF			
	700	241	73	DFW5507SF	365	110	DFW5507HF	468	141	DFW5507DF	647	195	DFW5507TF
	800	289	87	DFW5508SF	438	132	DFW5508HF	562	170	DFW5508DF	776	234	DFW5508TF
	900	337	102	DFW5509SF	511	154	DFW5509HF	655	198	DFW5509DF	905	273	DFW5509TF
	1000	385	116	DFW5510SF	584	176	DFW5510HF	749	226	DFW5510DF			
	1100	433	131	DFW5511SF	657	198	DFW5511HF	843	255	DFW5511DF	1164	352	DFW5511TF
	1200	481	145	DFW5512SF	730	220	DFW5512HF	936	283	DFW5512DF	1293	391	DFW5512TF
	1300	530	160	DFW5513SF	803	242	DFW5513HF	1027	310	DFW5513DF	1422	430	DFW5513TF
	1400	578	174	DFW5514SF	876	264	DFW5514HF	1123	339	DFW5514DF	1552	469	DFW5514TF
	1500	626	189	DFW5515SF									
	1600	674	203	DFW5516SF	1022	309	DFW5516HF	1311	396	DFW5516DF	1810	547	DFW5516TF
	1800	771	233	DFW5518SF	1168	353	DFW5518HF	1498	452	DFW5518DF	2069	625	DFW5518TF
	2000	867	262	DFW5520SF	1314	397	DFW5520HF	1686	509	DFW5520DF	2327	703	DFW5520TF
	2200	963	291	DFW5522SF				1873	566	DFW5522DF	2586	781	DFW5522TF
2400	1059	320	DFW5524SF				2059	622	DFW5524DF				
2600	1155	349	DFW5526SF				2247	679	DFW5526DF				

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code
650	600	248	75	DFW6506SF	372	112	DFW6506HF	480	145	DFW6506DF			
	700	311	94	DFW6507SF	465	141	DFW6507HF	600	181	DFW6507DF	829	251	DFW6507TF
	800	372	112	DFW6508SF	558	169	DFW6508HF	719	217	DFW6508DF	995	300	DFW6508TF
	900	434	131	DFW6509SF	651	197	DFW6509HF	839	253	DFW6509DF	1161	350	DFW6509TF
	1000	497	150	DFW6510SF	744	225	DFW6510HF	959	290	DFW6510DF	1326	400	DFW6510TF
	1100	558	169	DFW6511SF	837	253	DFW6511HF	1079	326	DFW6511DF	1493	451	DFW6511TF
	1200	620	187	DFW6512SF	930	281	DFW6512HF	1199	362	DFW6512DF	1658	501	DFW6512TF
	1300	683	206	DFW6513SF	1024	309	DFW6513HF	1319	398	DFW6513DF	1824	551	DFW6513TF
	1400	744	225	DFW6514SF	1116	337	DFW6514HF	1438	434	DFW6514DF	1990	601	DFW6514TF
	1500	806	244	DFW6515SF	1210	365	DFW6515HF	1558	471	DFW6515DF			
	1600	869	262	DFW6516SF	1302	393	DFW6516HF	1679	507	DFW6516DF			
	1700	931	281	DFW6517SF	1396	421	DFW6517HF	1799	543	DFW6517DF			
	1800	992	300	DFW6518SF	1488	449	DFW6518HF	1918	579	DFW6518DF	2653	801	DFW6518TF
	2000	1117	337	DFW6520SF	1674	506	DFW6520HF	2158	652	DFW6520DF	2984	901	DFW6520TF
2200	1241	375	DFW6522SF	1860	562	DFW6522HF	2398	724	DFW6522DF	3316	1001	DFW6522TF	
2400	1364	412	DFW6524SF	2046	618	DFW6524HF	2637	796	DFW6524DF	3648	1102	DFW6524TF	
2600	1489	450	DFW6526SF	2232	674	DFW6526HF	2877	869	DFW6526DF				

DeepClean - Flat Top - Wall Mounted - Standard Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

145mm

165mm


200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code
750	500	223	67	DFW7505SF									
	600	298	90	DFW7506SF	448	135	DFW7506HF	577	174	DFW7506DF			
	700	373	113	DFW7507SF	560	169	DFW7507HF	721	218	DFW7507DF	997	301	DFW7507TF
	800	448	135	DFW7508SF	671	203	DFW7508HF	864	261	DFW7508DF	1195	361	DFW7508TF
	900	522	158	DFW7509SF	783	237	DFW7509HF	1008	305	DFW7509DF	1395	421	DFW7509TF
	1000	596	180	DFW7510SF	895	270	DFW7510HF	1153	348	DFW7510DF	1594	481	DFW7510TF
	1100	671	203	DFW7511SF	1007	304	DFW7511HF	1297	392	DFW7511DF	1793	542	DFW7511TF
	1200	746	225	DFW7512SF	1119	338	DFW7512HF	1441	435	DFW7512DF	1993	602	DFW7512TF
	1300	821	248	DFW7513SF	1231	372	DFW7513HF	1585	479	DFW7513DF	2192	662	DFW7513TF
	1400	895	270	DFW7514SF	1342	405	DFW7514HF	1729	522	DFW7514DF	2391	722	DFW7514TF
	1500	969	293	DFW7515SF	1454	439	DFW7515HF	1873	566	DFW7515DF	2591	782	DFW7515TF
	1600	1044	315	DFW7516SF	1566	473	DFW7516HF	2018	609	DFW7516DF	2790	843	DFW7516TF
	1700	1119	338	DFW7517SF	1679	507	DFW7517HF	2162	653	DFW7517DF			
	1800	1193	360	DFW7518SF	1790	541	DFW7518HF	2305	696	DFW7518DF			
	2000	1342	405	DFW7520SF	2014	608	DFW7520HF	2593	783	DFW7520DF	3587	1083	DFW7520TF
	2200	1492	450	DFW7522SF	2237	676	DFW7522HF	2882	870	DFW7522DF	3985	1204	DFW7522TF
2400	1641	496	DFW7524SF	2461	743	DFW7524HF	3170	957	DFW7524DF	4384	1324	DFW7524TF	
2600	1790	541	DFW7526SF	2685	811	DFW7526HF	3459	1044	DFW7526DF				

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code
850	500	259	78	DFW8505SF	389	117	DFW8505HF	499	151	DFW8505DF			
	600	345	104	DFW8506SF	519	157	DFW8506HF	666	201	DFW8506DF	920	278	DFW8506TF
	700	432	130	DFW8507SF	649	196	DFW8507HF	832	251	DFW8507DF	1150	347	DFW8507TF
	800	518	156	DFW8508SF	778	235	DFW8508HF	998	301	DFW8508DF	1380	417	DFW8508TF
	900	604	183	DFW8509SF	908	274	DFW8509HF	1164	352	DFW8509DF	1610	486	DFW8509TF
	1000	691	209	DFW8510SF	1038	313	DFW8510HF	1331	402	DFW8510DF	1840	556	DFW8510TF
	1100	777	235	DFW8511SF	1167	352	DFW8511HF	1497	452	DFW8511DF	2070	625	DFW8511TF
	1200	863	261	DFW8512SF	1297	392	DFW8512HF	1663	502	DFW8512DF	2300	695	DFW8512TF
	1300	950	287	DFW8513SF	1427	431	DFW8513HF	1830	553	DFW8513DF	2529	764	DFW8513TF
	1400	1036	313	DFW8514SF	1556	470	DFW8514HF	1996	603	DFW8514DF	2760	833	DFW8514TF
	1500	1122	339	DFW8515SF	1686	509	DFW8515HF	2163	653	DFW8515DF			
	1600	1209	365	DFW8516SF	1816	548	DFW8516HF	2329	703	DFW8516DF	3220	972	DFW8516TF
	1700	1295	391	DFW8517SF	1946	588	DFW8517HF	2496	754	DFW8517DF			
	1800	1381	417	DFW8518SF	2075	627	DFW8518HF	2661	804	DFW8518DF	3679	1111	DFW8518TF
	2000	1554	469	DFW8520SF	2334	705	DFW8520HF	2994	904	DFW8520DF	4139	1250	DFW8520TF
	2200	1727	521	DFW8522SF	2593	783	DFW8522HF	3327	1005	DFW8522DF	4600	1389	DFW8522TF
2400	1899	574	DFW8524SF	2852	861	DFW8524HF	3660	1105	DFW8524DF				
2600	2072	626	DFW8526SF	3112	940	DFW8526HF	3993	1206	DFW8526DF				

DeepClean - Flat Top - Wall Mounted - Standard Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

145mm

165mm

200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code
950	600	389	117	DFW9506SF	587	177	DFW9506HF	748	226	DFW9506DF	1032	312	DFW9506TF
	700	487	147	DFW9507SF	733	221	DFW9507HF	935	282	DFW9507DF	1291	390	DFW9507TF
	800	584	176	DFW9508SF	879	266	DFW9508HF	1121	339	DFW9508DF	1548	467	DFW9508TF
	900	681	206	DFW9509SF	1026	310	DFW9509HF	1308	395	DFW9509DF	1806	545	DFW9509TF
	1000	778	235	DFW9510SF	1173	354	DFW9510HF	1495	452	DFW9510DF	2064	623	DFW9510TF
	1100	876	264	DFW9511SF	1319	398	DFW9511HF	1682	508	DFW9511DF	2322	701	DFW9511TF
	1200	973	294	DFW9512SF	1466	443	DFW9512HF	1869	564	DFW9512DF	2580	779	DFW9512TF
	1300	1070	323	DFW9513SF	1613	487	DFW9513HF	2056	621	DFW9513DF	2838	857	DFW9513TF
	1400	1168	353	DFW9514SF	1759	531	DFW9514HF	2243	677	DFW9514DF	3096	935	DFW9514TF
	1500	1265	382	DFW9515SF	1905	575	DFW9515HF	2430	734	DFW9515DF			
	1600	1362	411	DFW9516SF	2052	620	DFW9516HF	2617	790	DFW9516DF	3613	1091	DFW9516TF
	1700	1460	441	DFW9517SF				2804	847	DFW9517DF			
	1800	1557	470	DFW9518SF	2345	708	DFW9518HF	2990	903	DFW9518DF	4128	1247	DFW9518TF
	2000	1751	529	DFW9520SF	2639	797	DFW9520HF	3364	1016	DFW9520DF			
	2200	1946	588	DFW9522SF				3738	1129	DFW9522DF			
2400	2140	646	DFW9524SF				4112	1242	DFW9524DF				
2600	2334	705	DFW9526SF				4486	1355	DFW9526DF				

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T20$)	Product Code
1150	600	466	141	DFW1106SF	712	215	DFW1106HF	893	270	DFW1106DF	1227	371	DFW1106TF
	700	584	176	DFW1107SF	890	269	DFW1107HF	1116	337	DFW1107DF	1534	463	DFW1107TF
	800	700	212	DFW1108SF	1067	322	DFW1108HF	1339	404	DFW1108DF	1841	556	DFW1108TF
	900	817	247	DFW1109SF	1245	376	DFW1109HF	1562	472	DFW1109DF	2148	649	DFW1109TF
	1000	934	282	DFW1110SF	1424	430	DFW1110HF	1785	539	DFW1110DF	2455	741	DFW1110TF
	1100	1050	317	DFW1111SF				2008	606	DFW1111DF	2762	834	DFW1111TF
	1200	1167	352	DFW1112SF				2231	674	DFW1112DF	3069	927	DFW1112TF
	1300	1283	388	DFW1113SF				2455	741	DFW1113DF			
	1400	1400	423	DFW1114SF				2677	808	DFW1114DF			
	1500							2901	876	DFW1115DF			
1600	1633	493	DFW1116SF				3124	943	DFW1116DF				

*For installations where the guard does not extend to the floor, a base plate can be supplied. If this is required, please add **BP** to the end of the product code.*

■ *Please note: the highlighted lines are on an 13-17 weeks lead time.*