


DeepClean - Flat Top - Wall Mounted - Standard Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

145mm

165mm


200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code
550	600	192	74	DFW5506SF	292	112	DFW5506HF	375	144	DFW5506DF			
	700	241	92	DFW5507SF	365	140	DFW5507HF	468	179	DFW5507DF	647	248	DFW5507TF
	800	289	111	DFW5508SF	438	168	DFW5508HF	562	215	DFW5508DF	776	297	DFW5508TF
	900	337	129	DFW5509SF	511	196	DFW5509HF	655	251	DFW5509DF	905	347	DFW5509TF
	1000	385	148	DFW5510SF	584	224	DFW5510HF	749	287	DFW5510DF			
	1100	433	166	DFW5511SF	657	252	DFW5511HF	843	323	DFW5511DF	1164	446	DFW5511TF
	1200	481	184	DFW5512SF	730	280	DFW5512HF	936	359	DFW5512DF	1293	495	DFW5512TF
	1300	530	203	DFW5513SF	803	307	DFW5513HF	1027	393	DFW5513DF	1422	545	DFW5513TF
	1400	578	221	DFW5514SF	876	335	DFW5514HF	1123	430	DFW5514DF	1552	594	DFW5514TF
	1500	626	240	DFW5515SF									
	1600	674	258	DFW5516SF	1022	391	DFW5516HF	1311	502	DFW5516DF	1810	693	DFW5516TF
	1800	771	295	DFW5518SF	1168	447	DFW5518HF	1498	574	DFW5518DF	2069	793	DFW5518TF
	2000	867	332	DFW5520SF	1314	503	DFW5520HF	1686	646	DFW5520DF	2327	891	DFW5520TF
	2200	963	369	DFW5522SF				1873	717	DFW5522DF	2586	991	DFW5522TF
2400	1059	406	DFW5524SF				2059	789	DFW5524DF				
2600	1155	442	DFW5526SF				2247	861	DFW5526DF				

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code
650	600	248	95	DFW6506SF	372	142	DFW6506HF	480	184	DFW6506DF			
	700	311	119	DFW6507SF	465	178	DFW6507HF	600	230	DFW6507DF	829	318	DFW6507TF
	800	372	142	DFW6508SF	558	214	DFW6508HF	719	275	DFW6508DF	995	381	DFW6508TF
	900	434	166	DFW6509SF	651	250	DFW6509HF	839	321	DFW6509DF	1161	444	DFW6509TF
	1000	497	190	DFW6510SF	744	285	DFW6510HF	959	367	DFW6510DF	1326	508	DFW6510TF
	1100	558	214	DFW6511SF	837	321	DFW6511HF	1079	413	DFW6511DF	1493	572	DFW6511TF
	1200	620	238	DFW6512SF	930	356	DFW6512HF	1199	459	DFW6512DF	1658	635	DFW6512TF
	1300	683	261	DFW6513SF	1024	392	DFW6513HF	1319	505	DFW6513DF	1824	698	DFW6513TF
	1400	744	285	DFW6514SF	1116	427	DFW6514HF	1438	551	DFW6514DF	1990	762	DFW6514TF
	1500	806	309	DFW6515SF	1210	463	DFW6515HF	1558	597	DFW6515DF			
	1600	869	333	DFW6516SF	1302	499	DFW6516HF	1679	643	DFW6516DF			
	1700	931	357	DFW6517SF	1396	534	DFW6517HF	1799	689	DFW6517DF			
	1800	992	380	DFW6518SF	1488	570	DFW6518HF	1918	735	DFW6518DF	2653	1016	DFW6518TF
	2000	1117	428	DFW6520SF	1674	641	DFW6520HF	2158	827	DFW6520DF	2984	1143	DFW6520TF
2200	1241	475	DFW6522SF	1860	712	DFW6522HF	2398	918	DFW6522DF	3316	1270	DFW6522TF	
2400	1364	523	DFW6524SF	2046	784	DFW6524HF	2637	1010	DFW6524DF	3648	1397	DFW6524TF	
2600	1489	570	DFW6526SF	2232	855	DFW6526HF	2877	1102	DFW6526DF				

DeepClean - Flat Top - Wall Mounted - Standard Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

145mm

165mm


200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code
750	500	223	86	DFW7505SF									
	600	298	114	DFW7506SF	448	171	DFW7506HF	577	221	DFW7506DF			
	700	373	143	DFW7507SF	560	214	DFW7507HF	721	276	DFW7507DF	997	382	DFW7507TF
	800	448	171	DFW7508SF	671	257	DFW7508HF	864	331	DFW7508DF	1195	458	DFW7508TF
	900	522	200	DFW7509SF	783	300	DFW7509HF	1008	386	DFW7509DF	1395	534	DFW7509TF
	1000	596	228	DFW7510SF	895	343	DFW7510HF	1153	441	DFW7510DF	1594	610	DFW7510TF
	1100	671	257	DFW7511SF	1007	386	DFW7511HF	1297	497	DFW7511DF	1793	687	DFW7511TF
	1200	746	286	DFW7512SF	1119	428	DFW7512HF	1441	552	DFW7512DF	1993	763	DFW7512TF
	1300	821	314	DFW7513SF	1231	471	DFW7513HF	1585	607	DFW7513DF	2192	840	DFW7513TF
	1400	895	343	DFW7514SF	1342	514	DFW7514HF	1729	662	DFW7514DF	2391	916	DFW7514TF
	1500	969	371	DFW7515SF	1454	557	DFW7515HF	1873	718	DFW7515DF	2591	992	DFW7515TF
	1600	1044	400	DFW7516SF	1566	600	DFW7516HF	2018	773	DFW7516DF	2790	1069	DFW7516TF
	1700	1119	428	DFW7517SF	1679	643	DFW7517HF	2162	828	DFW7517DF			
	1800	1193	457	DFW7518SF	1790	685	DFW7518HF	2305	883	DFW7518DF			
	2000	1342	514	DFW7520SF	2014	771	DFW7520HF	2593	993	DFW7520DF	3587	1374	DFW7520TF
	2200	1492	571	DFW7522SF	2237	857	DFW7522HF	2882	1104	DFW7522DF	3985	1526	DFW7522TF
2400	1641	629	DFW7524SF	2461	943	DFW7524HF	3170	1214	DFW7524DF	4384	1679	DFW7524TF	
2600	1790	685	DFW7526SF	2685	1028	DFW7526HF	3459	1325	DFW7526DF				

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code
850	500	259	99	DFW8505SF	389	149	DFW8505HF	499	191	DFW8505DF			
	600	345	132	DFW8506SF	519	199	DFW8506HF	666	255	DFW8506DF	920	352	DFW8506TF
	700	432	165	DFW8507SF	649	248	DFW8507HF	832	319	DFW8507DF	1150	440	DFW8507TF
	800	518	198	DFW8508SF	778	298	DFW8508HF	998	382	DFW8508DF	1380	528	DFW8508TF
	900	604	231	DFW8509SF	908	348	DFW8509HF	1164	446	DFW8509DF	1610	617	DFW8509TF
	1000	691	265	DFW8510SF	1038	397	DFW8510HF	1331	510	DFW8510DF	1840	705	DFW8510TF
	1100	777	298	DFW8511SF	1167	447	DFW8511HF	1497	573	DFW8511DF	2070	793	DFW8511TF
	1200	863	331	DFW8512SF	1297	497	DFW8512HF	1663	637	DFW8512DF	2300	881	DFW8512TF
	1300	950	364	DFW8513SF	1427	546	DFW8513HF	1830	701	DFW8513DF	2529	969	DFW8513TF
	1400	1036	397	DFW8514SF	1556	596	DFW8514HF	1996	765	DFW8514DF	2760	1057	DFW8514TF
	1500	1122	430	DFW8515SF	1686	646	DFW8515HF	2163	828	DFW8515DF			
	1600	1209	463	DFW8516SF	1816	695	DFW8516HF	2329	892	DFW8516DF	3220	1233	DFW8516TF
	1700	1295	496	DFW8517SF	1946	745	DFW8517HF	2496	956	DFW8517DF			
	1800	1381	529	DFW8518SF	2075	795	DFW8518HF	2661	1019	DFW8518DF	3679	1409	DFW8518TF
	2000	1554	595	DFW8520SF	2334	894	DFW8520HF	2994	1147	DFW8520DF	4139	1585	DFW8520TF
	2200	1727	661	DFW8522SF	2593	993	DFW8522HF	3327	1274	DFW8522DF	4600	1762	DFW8522TF
2400	1899	727	DFW8524SF	2852	1092	DFW8524HF	3660	1402	DFW8524DF				
2600	2072	794	DFW8526SF	3112	1192	DFW8526HF	3993	1529	DFW8526DF				

DeepClean - Flat Top - Wall Mounted - Standard Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

145mm

165mm

200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code
950	600	389	149	DFW9506SF	587	225	DFW9506HF	748	286	DFW9506DF	1032	395	DFW9506TF
	700	487	186	DFW9507SF	733	281	DFW9507HF	935	358	DFW9507DF	1291	494	DFW9507TF
	800	584	224	DFW9508SF	879	337	DFW9508HF	1121	429	DFW9508DF	1548	593	DFW9508TF
	900	681	261	DFW9509SF	1026	393	DFW9509HF	1308	501	DFW9509DF	1806	692	DFW9509TF
	1000	778	298	DFW9510SF	1173	449	DFW9510HF	1495	573	DFW9510DF	2064	790	DFW9510TF
	1100	876	335	DFW9511SF	1319	505	DFW9511HF	1682	644	DFW9511DF	2322	889	DFW9511TF
	1200	973	373	DFW9512SF	1466	561	DFW9512HF	1869	716	DFW9512DF	2580	988	DFW9512TF
	1300	1070	410	DFW9513SF	1613	618	DFW9513HF	2056	787	DFW9513DF	2838	1087	DFW9513TF
	1400	1168	447	DFW9514SF	1759	674	DFW9514HF	2243	859	DFW9514DF	3096	1186	DFW9514TF
	1500	1265	484	DFW9515SF	1905	730	DFW9515HF	2430	931	DFW9515DF			
	1600	1362	522	DFW9516SF	2052	786	DFW9516HF	2617	1002	DFW9516DF	3613	1384	DFW9516TF
	1700	1460	559	DFW9517SF				2804	1074	DFW9517DF			
	1800	1557	596	DFW9518SF	2345	898	DFW9518HF	2990	1145	DFW9518DF	4128	1581	DFW9518TF
	2000	1751	670	DFW9520SF	2639	1011	DFW9520HF	3364	1288	DFW9520DF			
2200	1946	745	DFW9522SF				3738	1432	DFW9522DF				
2400	2140	820	DFW9524SF				4112	1575	DFW9524DF				
2600	2334	894	DFW9526SF				4486	1718	DFW9526DF				

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code
1150	600	466	179	DFW1106SF	712	273	DFW1106HF	893	342	DFW1106DF	1227	470	DFW1106TF
	700	584	224	DFW1107SF	890	341	DFW1107HF	1116	427	DFW1107DF	1534	588	DFW1107TF
	800	700	268	DFW1108SF	1067	409	DFW1108HF	1339	513	DFW1108DF	1841	705	DFW1108TF
	900	817	313	DFW1109SF	1245	477	DFW1109HF	1562	598	DFW1109DF	2148	823	DFW1109TF
	1000	934	358	DFW1110SF	1424	545	DFW1110HF	1785	684	DFW1110DF	2455	940	DFW1110TF
	1100	1050	402	DFW1111SF				2008	769	DFW1111DF	2762	1058	DFW1111TF
	1200	1167	447	DFW1112SF				2231	855	DFW1112DF	3069	1175	DFW1112TF
	1300	1283	492	DFW1113SF				2455	940	DFW1113DF			
	1400	1400	536	DFW1114SF				2677	1025	DFW1114DF			
	1500							2901	1111	DFW1115DF			
1600	1633	625	DFW1116SF				3124	1196	DFW1116DF				

*For installations where the guard does not extend to the floor, a base plate can be supplied. If this is required, please add **BP** to the end of the product code.*

■ *Please note: the highlighted lines are on an 13-17 weeks lead time.*