


DeepClean - Sloped Top - Wall Mounted - Standard Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

145mm

165mm


200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33			
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	
600	600	192	99	DSW6006SF	292	150	DSW6006HF	375	192	DSW6006DF				
	700	241	124	DSW6007SF	365	187	DSW6007HF	468	240	DSW6007DF	647	332	DSW6007TF	
	800	289	148	DSW6008SF	438	225	DSW6008HF	562	288	DSW6008DF	776	398	DSW6008TF	
	900	337	173	DSW6009SF	511	262	DSW6009HF	655	336	DSW6009DF	905	464	DSW6009TF	
	1000	385	198	DSW6010SF	584	300	DSW6010HF	749	384	DSW6010DF				
	1100	433	222	DSW6011SF	657	337	DSW6011HF	843	432	DSW6011DF	1164	597	DSW6011TF	
	1200	481	247	DSW6012SF	730	374	DSW6012HF	936	480	DSW6012DF	1293	663	DSW6012TF	
	1300	530	272	DSW6013SF	803	412	DSW6013HF	1027	527	DSW6013DF	1422	730	DSW6013TF	
	1400	578	296	DSW6014SF	876	449	DSW6014HF	1123	576	DSW6014DF	1552	796	DSW6014TF	
	1500	626	321	DSW6015SF										
	1600	674	346	DSW6016SF	1022	524	DSW6016HF	1311	673	DSW6016DF	1810	929	DSW6016TF	
	1800	771	395	DSW6018SF	1168	599	DSW6018HF	1498	768	DSW6018DF	2069	1062	DSW6018TF	
	2000	867	445	DSW6020SF	1314	674	DSW6020HF	1686	865	DSW6020DF	2327	1194	DSW6020TF	
	2200	963	494	DSW6022SF				1873	961	DSW6022DF	2586	1327	DSW6022TF	
2400	1059	543	DSW6024SF				2059	1057	DSW6024DF					
2600	1155	593	DSW6026SF				2247	1153	DSW6026DF					

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code
700	600	248	127	DSW7006SF	372	191	DSW7006HF	480	246	DSW7006DF			
	700	311	159	DSW7007SF	465	239	DSW7007HF	600	308	DSW7007DF	829	426	DSW7007TF
	800	372	191	DSW7008SF	558	286	DSW7008HF	719	369	DSW7008DF	995	510	DSW7008TF
	900	434	223	DSW7009SF	651	334	DSW7009HF	839	431	DSW7009DF	1161	595	DSW7009TF
	1000	497	255	DSW7010SF	744	382	DSW7010HF	959	492	DSW7010DF	1326	680	DSW7010TF
	1100	558	286	DSW7011SF	837	430	DSW7011HF	1079	553	DSW7011DF	1493	766	DSW7011TF
	1200	620	318	DSW7012SF	930	477	DSW7012HF	1199	615	DSW7012DF	1658	851	DSW7012TF
	1300	683	350	DSW7013SF	1024	525	DSW7013HF	1319	677	DSW7013DF	1824	936	DSW7013TF
	1400	744	382	DSW7014SF	1116	573	DSW7014HF	1438	738	DSW7014DF	1990	1021	DSW7014TF
	1500	806	414	DSW7015SF	1210	620	DSW7015HF	1558	799	DSW7015DF			
	1600	869	446	DSW7016SF	1302	668	DSW7016HF	1679	861	DSW7016DF			
	1700	931	478	DSW7017SF	1396	716	DSW7017HF	1799	923	DSW7017DF			
	1800	992	509	DSW7018SF	1488	763	DSW7018HF	1918	984	DSW7018DF	2653	1361	DSW7018TF
	2000	1117	573	DSW7020SF	1674	859	DSW7020HF	2158	1107	DSW7020DF	2984	1531	DSW7020TF
2200	1241	636	DSW7022SF	1860	954	DSW7022HF	2398	1230	DSW7022DF	3316	1701	DSW7022TF	
2400	1364	700	DSW7024SF	2046	1050	DSW7024HF	2637	1353	DSW7024DF	3648	1871	DSW7024TF	
2600	1489	764	DSW7026SF	2232	1145	DSW7026HF	2877	1476	DSW7026DF				

DeepClean - Sloped Top - Wall Mounted - Standard Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

145mm

165mm


200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code
800	500	223	115	DSW8005SF									
	600	298	153	DSW8006SF	448	230	DSF8006HF	577	296	DSW8006DF			
	700	373	191	DSW8007SF	560	287	DSF8007HF	721	370	DSW8007DF	997	511	DSW8007TF
	800	448	230	DSW8008SF	671	344	DSF8008HF	864	443	DSW8008DF	1195	613	DSW8008TF
	900	522	268	DSW8009SF	783	402	DSF8009HF	1008	517	DSW8009DF	1395	715	DSW8009TF
	1000	596	306	DSW8010SF	895	459	DSF8010HF	1153	591	DSW8010DF	1594	818	DSW8010TF
	1100	671	344	DSW8011SF	1007	516	DSF8011HF	1297	665	DSW8011DF	1793	920	DSW8011TF
	1200	746	383	DSW8012SF	1119	574	DSF8012HF	1441	739	DSW8012DF	1993	1022	DSW8012TF
	1300	821	421	DSW8013SF	1231	631	DSF8013HF	1585	813	DSW8013DF	2192	1125	DSW8013TF
	1400	895	459	DSW8014SF	1342	689	DSF8014HF	1729	887	DSW8014DF	2391	1227	DSW8014TF
	1500	969	497	DSW8015SF	1454	746	DSF8015HF	1873	961	DSW8015DF	2591	1329	DSW8015TF
	1600	1044	536	DSW8016SF	1566	804	DSF8016HF	2018	1035	DSW8016DF	2790	1431	DSW8016TF
	1700	1119	574	DSW8017SF	1679	861	DSF8017HF	2162	1109	DSW8017DF			
	1800	1193	612	DSW8018SF	1790	918	DSF8018HF	2305	1183	DSW8018DF			
	2000	1342	689	DSW8020SF	2014	1033	DSF8020HF	2593	1330	DSW8020DF	3587	1840	DSW8020TF
	2200	1492	765	DSW8022SF	2237	1148	DSF8022HF	2882	1478	DSW8022DF	3985	2045	DSW8022TF
2400	1641	842	DSW8024SF	2461	1262	DSF8024HF	3170	1626	DSW8024DF	4384	2249	DSW8024TF	
2600	1790	918	DSW8026SF	2685	1377	DSF8026HF	3459	1774	DSW8026DF				

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code
900	500	259	133	DSW9005SF	389	200	DSW9005HF	499	256	DSW9005DF			
	600	345	177	DSW9006SF	519	266	DSW9006HF	666	342	DSW9006DF	920	472	DSW9006TF
	700	432	221	DSW9007SF	649	333	DSW9007HF	832	427	DSW9007DF	1150	590	DSW9007TF
	800	518	266	DSW9008SF	778	399	DSW9008HF	998	512	DSW9008DF	1380	708	DSW9008TF
	900	604	310	DSW9009SF	908	466	DSW9009HF	1164	597	DSW9009DF	1610	826	DSW9009TF
	1000	691	354	DSW9010SF	1038	532	DSW9010HF	1331	683	DSW9010DF	1840	944	DSW9010TF
	1100	777	399	DSW9011SF	1167	599	DSW9011HF	1497	768	DSW9011DF	2070	1062	DSW9011TF
	1200	863	443	DSW9012SF	1297	665	DSW9012HF	1663	853	DSW9012DF	2300	1180	DSW9012TF
	1300	950	487	DSW9013SF	1427	732	DSW9013HF	1830	939	DSW9013DF	2529	1298	DSW9013TF
	1400	1036	531	DSW9014SF	1556	798	DSW9014HF	1996	1024	DSW9014DF	2760	1416	DSW9014TF
	1500	1122	576	DSW9015SF	1686	865	DSW9015HF	2163	1109	DSW9015DF			
	1600	1209	620	DSW9016SF	1816	931	DSW9016HF	2329	1195	DSW9016DF	3220	1652	DSW9016TF
	1700	1295	664	DSW9017SF	1946	998	DSW9017HF	2496	1280	DSW9017DF			
	1800	1381	709	DSW9018SF	2075	1064	DSW9018HF	2661	1365	DSW9018DF	3679	1887	DSW9018TF
	2000	1554	797	DSW9020SF	2334	1198	DSW9020HF	2994	1536	DSW9020DF	4139	2124	DSW9020TF
	2200	1727	886	DSW9022SF	2593	1330	DSW9022HF	3327	1707	DSW9022DF	4600	2360	DSW9022TF
2400	1899	974	DSW9024SF	2852	1463	DSW9024HF	3660	1877	DSW9024DF				
2600	2072	1063	DSW9026SF	3112	1597	DSW9026HF	3993	2048	DSW9026DF				

DeepClean - Sloped Top - Wall Mounted - Standard Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

145mm

165mm

200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code
1000	600	389	200	DSW1006SF	587	301	DSW1006HF	748	384	DSW1006DF	1032	530	DSW1006TF
	700	487	250	DSW1007SF	733	376	DSW1007HF	935	479	DSW1007DF	1291	662	DSW1007TF
	800	584	300	DSW1008SF	879	451	DSW1008HF	1121	575	DSW1008DF	1548	794	DSW1008TF
	900	681	349	DSW1009SF	1026	526	DSW1009HF	1308	671	DSW1009DF	1806	926	DSW1009TF
	1000	778	399	DSW1010SF	1173	602	DSW1010HF	1495	767	DSW1010DF	2064	1059	DSW1010TF
	1100	876	449	DSW1011SF	1319	677	DSW1011HF	1682	863	DSW1011DF	2322	1191	DSW1011TF
	1200	973	499	DSW1012SF	1466	752	DSW1012HF	1869	959	DSW1012DF	2580	1324	DSW1012TF
	1300	1070	549	DSW1013SF	1613	827	DSW1013HF	2056	1055	DSW1013DF	2838	1456	DSW1013TF
	1400	1168	599	DSW1014SF	1759	902	DSW1014HF	2243	1151	DSW1014DF	3096	1588	DSW1014TF
	1500	1265	649	DSW1015SF	1905	978	DSW1015HF	2430	1246	DSW1015DF			
	1600	1362	699	DSW1016SF	2052	1053	DSW1016HF	2617	1342	DSW1016DF	3613	1853	DSW1016TF
	1700	1460	749	DSW1017SF				2804	1438	DSW1017DF			
	1800	1557	799	DSW1018SF	2345	1203	DSW1018HF	2990	1534	DSW1018DF	4128	2118	DSW1018TF
	2000	1751	898	DSW1020SF	2639	1354	DSW1020HF	3364	1726	DSW1020DF			
2200	1946	998	DSW1022SF				3738	1918	DSW1022DF				
2400	2140	1098	DSW1024SF				4112	2109	DSW1024DF				
2600	2334	1198	DSW1026SF				4486	2301	DSW1026DF				

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code
1200	600	466	239	DSW1206SF	712	365	DSW1206HF	893	458	DSW1206DF	1227	630	DSW1206TF
	700	584	300	DSW1207SF	890	457	DSW1207HF	1116	573	DSW1207DF	1534	787	DSW1207TF
	800	700	359	DSW1208SF	1067	547	DSW1208HF	1339	687	DSW1208DF	1841	945	DSW1208TF
	900	817	419	DSW1209SF	1245	639	DSW1209HF	1562	801	DSW1209DF	2148	1102	DSW1209TF
	1000	934	479	DSW1210SF	1424	731	DSW1210HF	1785	916	DSW1210DF	2455	1259	DSW1210TF
	1100	1050	539	DSW1211SF				2008	1030	DSW1211DF	2762	1417	DSW1211TF
	1200	1167	599	DSW1212SF				2231	1145	DSW1212DF	3069	1574	DSW1212TF
	1300	1283	658	DSW1213SF				2455	1259	DSW1213DF			
	1400	1400	718	DSW1214SF				2677	1373	DSW1214DF			
	1500							2901	1488	DSW1215DF			
1600	1633	838	DSW1216SF				3124	1603	DSW1216DF				

*For installations where the guard does not extend to the floor, a base plate can be supplied. If this is required, please add **BP** to the end of the product code.*

■ *Please note: the highlighted lines are on an 13-17 weeks lead time.*