



Covora Lite - Flat Top - Standard Grilles

(T50 / T24)



100mm



120mm




150mm



215mm



Casing Depth

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code
500	600	183	70	CL5006SF	272	104	CL5006HF	350	134	CL5006DF			
	700	230	88	CL5007SF	341	131	CL5007HF	438	168	CL5007DF	622	238	CL5007TF
	800	275	105	CL5008SF	409	157	CL5008HF	525	201	CL5008DF	747	286	CL5008TF
	900	321	123	CL5009SF	477	183	CL5009HF	612	235	CL5009DF	871	334	CL5009TF
	1000	367	140	CL5010SF	546	209	CL5010HF	700	268	CL5010DF			
	1100	413	158	CL5011SF	613	235	CL5011HF	788	302	CL5011DF	1120	429	CL5011TF
	1200	458	176	CL5012SF	682	261	CL5012HF	875	335	CL5012DF	1244	477	CL5012TF
	1300	505	193	CL5013SF	750	287	CL5013HF	962	368	CL5013DF	1369	524	CL5013TF
	1400	550	211	CL5014SF	818	313	CL5014HF	1050	402	CL5014DF	1493	572	CL5014TF
	1500	596	228	CL5015SF									
	1600	642	246	CL5016SF	954	365	CL5016HF	1225	469	CL5016DF	1742	667	CL5016TF
	1800	733	281	CL5018SF	1091	418	CL5018HF	1400	536	CL5018DF	1991	763	CL5018TF
	2000	825	316	CL5020SF	1227	470	CL5020HF	1574	603	CL5020DF	2239	858	CL5020TF



Covora Lite - Flat Top - Standard Grilles

(T50 / T24)



Casing Depth


100mm

120mm

150mm


215mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code
600	600	241	92	CL6006SF	348	133	CL6006HF	449	172	CL6006DF			
	700	302	116	CL6007SF	435	167	CL6007HF	561	215	CL6007DF	797	305	CL6007TF
	800	361	138	CL6008SF	522	200	CL6008HF	672	257	CL6008DF	957	366	CL6008TF
	900	422	162	CL6009SF	609	233	CL6009HF	784	300	CL6009DF	1116	427	CL6009TF
	1000	482	185	CL6010SF	696	267	CL6010HF	896	343	CL6010DF	1275	488	CL6010TF
	1100	542	208	CL6011SF	782	300	CL6011HF	1008	386	CL6011DF	1435	549	CL6011TF
	1200	603	231	CL6012SF	870	333	CL6012HF	1121	429	CL6012DF	1594	610	CL6012TF
	1300	663	254	CL6013SF	957	366	CL6013HF	1233	472	CL6013DF	1753	672	CL6013TF
	1400	723	277	CL6014SF	1043	399	CL6014HF	1345	515	CL6014DF	1913	733	CL6014TF
	1500	783	300	CL6015SF	1130	433	CL6015HF	1457	558	CL6015DF			
	1600	844	323	CL6016SF	1218	466	CL6016HF	1569	601	CL6016DF			
	1700	904	346	CL6017SF	1305	500	CL6017HF	1681	644	CL6017DF			
	1800	964	369	CL6018SF	1391	533	CL6018HF	1792	687	CL6018DF	2551	977	CL6018TF
	2000	1085	416	CL6020SF	1566	600	CL6020HF	2017	772	CL6020DF	2869	1099	CL6020TF



Covora Lite - Flat Top - Standard Grilles

(T50 / T24)



Casing Depth


100mm

120mm

150mm


215mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code
700	600	295	113	CL7006SF	418	160	CL7006HF	538	206	CL7006DF			
	700	368	141	CL7007SF	523	200	CL7007HF	674	258	CL7007DF	959	367	CL7007TF
	800	442	169	CL7008SF	627	240	CL7008HF	808	310	CL7008DF	1150	440	CL7008TF
	900	516	198	CL7009SF	732	281	CL7009HF	943	361	CL7009DF	1341	514	CL7009TF
	1000	589	226	CL7010SF	837	320	CL7010HF	1077	412	CL7010DF	1533	587	CL7010TF
	1100	663	254	CL7011SF	942	361	CL7011HF	1212	464	CL7011DF	1725	661	CL7011TF
	1200	737	282	CL7012SF	1046	401	CL7012HF	1347	516	CL7012DF	1916	734	CL7012TF
	1300	811	311	CL7013SF	1151	441	CL7013HF	1481	567	CL7013DF	2108	807	CL7013TF
	1400	885	339	CL7014SF	1255	481	CL7014HF	1616	619	CL7014DF	2300	881	CL7014TF
	1500	958	367	CL7015SF	1360	521	CL7015HF	1751	670	CL7015DF	2491	954	CL7015TF
	1600	1032	395	CL7016SF	1464	561	CL7016HF	1885	722	CL7016DF	2682	1027	CL7016TF
	1700	1105	423	CL7017SF	1569	601	CL7017HF	2020	774	CL7017DF			
	1800	1179	452	CL7018SF	1673	641	CL7018HF	2155	825	CL7018DF			
	2000	1326	508	CL7020SF	1882	721	CL7020HF	2423	928	CL7020DF	3449	1321	CL7020TF



Covora Lite - Flat Top - Standard Grilles

(T50 / T24)



Casing Depth


100mm

120mm

150mm



215mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code
800	500				364	139	CL8005HF	466	179	CL8005DF			
	600	344	132	CL8006SF	485	186	CL8006HF	622	238	CL8006DF	885	339	CL8006TF
	700	431	165	CL8007SF	606	232	CL8007HF	778	298	CL8007DF	1105	423	CL8007TF
	800	517	198	CL8008SF	727	278	CL8008HF	933	357	CL8008DF	1326	508	CL8008TF
	900	603	231	CL8009SF	848	325	CL8009HF	1088	417	CL8009DF	1548	593	CL8009TF
	1000	689	264	CL8010SF	970	372	CL8010HF	1244	477	CL8010DF	1768	677	CL8010TF
	1100	775	297	CL8011SF	1091	418	CL8011HF	1399	536	CL8011DF	1990	762	CL8011TF
	1200	862	330	CL8012SF	1212	464	CL8012HF	1555	595	CL8012DF	2211	847	CL8012TF
	1300	948	363	CL8013SF	1333	511	CL8013HF	1711	655	CL8013DF	2431	931	CL8013TF
	1400	1034	396	CL8014SF	1454	557	CL8014HF	1865	714	CL8014DF	2653	1016	CL8014TF
	1500	1120	429	CL8015SF	1576	604	CL8015HF	2021	774	CL8015DF			
	1600	1206	462	CL8016SF	1697	650	CL8016HF	2177	834	CL8016DF	3095	1186	CL8016TF
	1700	1292	495	CL8017SF	1818	696	CL8017HF	2333	893	CL8017DF			
	1800	1379	528	CL8018SF	1939	743	CL8018HF	2488	953	CL8018DF	3537	1355	CL8018TF
	2000	1550	594	CL8020SF	2182	836	CL8020HF	2799	1072	CL8020DF	3979	1524	CL8020TF



Covora Lite - Flat Top - Standard Grilles

(T50 / T24)



Casing Depth

100mm

120mm

150mm

215mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code
900	600	390	149	CL9006SF	548	210	CL9006HF	699	268	CL9006DF	992	380	CL9006TF
	700	488	187	CL9007SF	685	262	CL9007HF	874	335	CL9007DF	1241	475	CL9007TF
	800	586	224	CL9008SF	821	315	CL9008HF	1048	402	CL9008DF	1489	570	CL9008TF
	900	683	261	CL9009SF	959	367	CL9009HF	1223	468	CL9009DF	1737	665	CL9009TF
	1000	781	299	CL9010SF	1096	420	CL9010HF	1397	535	CL9010DF	1985	760	CL9010TF
	1100	878	336	CL9011SF	1233	472	CL9011HF	1573	602	CL9011DF	2233	855	CL9011TF
	1200	975	374	CL9012SF	1370	525	CL9012HF	1747	669	CL9012DF	2481	950	CL9012TF
	1300	1073	411	CL9013SF	1507	577	CL9013HF	1922	736	CL9013DF	2730	1045	CL9013TF
	1400	1170	448	CL9014SF	1644	630	CL9014HF	2097	803	CL9014DF	2978	1141	CL9014TF
	1500	1268	486	CL9015SF	1781	682	CL9015HF	2271	870	CL9015DF			
	1600	1365	523	CL9016SF	1918	735	CL9016HF	2446	937	CL9016DF	3474	1330	CL9016TF
	1700	1463	560	CL9017SF				2621	1004	CL9017DF			
	1800	1561	598	CL9018SF	2191	839	CL9018HF	2795	1071	CL9018DF	3970	1521	CL9018TF
	2000	1756	673	CL9020SF	2465	944	CL9020HF	3144	1204	CL9020DF			