




Covora Lite - Flat Top - Standard Grilles

(T50 / T30)



Casing Depth

100mm

120mm

150mm

215mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code
500	600	183	94	CL5006SF	272	140	CL5006HF	350	179	CL5006DF			
	700	230	118	CL5007SF	341	175	CL5007HF	438	225	CL5007DF	622	319	CL5007TF
	800	275	141	CL5008SF	409	210	CL5008HF	525	269	CL5008DF	747	383	CL5008TF
	900	321	165	CL5009SF	477	245	CL5009HF	612	314	CL5009DF	871	447	CL5009TF
	1000	367	188	CL5010SF	546	280	CL5010HF	700	359	CL5010DF			
	1100	413	212	CL5011SF	613	315	CL5011HF	788	404	CL5011DF	1120	574	CL5011TF
	1200	458	235	CL5012SF	682	350	CL5012HF	875	449	CL5012DF	1244	638	CL5012TF
	1300	505	259	CL5013SF	750	385	CL5013HF	962	494	CL5013DF	1369	702	CL5013TF
	1400	550	282	CL5014SF	818	420	CL5014HF	1050	539	CL5014DF	1493	766	CL5014TF
	1500	596	306	CL5015SF									
	1600	642	329	CL5016SF	954	489	CL5016HF	1225	628	CL5016DF	1742	894	CL5016TF
	1800	733	376	CL5018SF	1091	560	CL5018HF	1400	718	CL5018DF	1991	1021	CL5018TF
	2000	825	423	CL5020SF	1227	630	CL5020HF	1574	808	CL5020DF	2239	1149	CL5020TF




Covora Lite - Flat Top - Standard Grilles

(T50 / T30)



100mm



120mm



150mm



215mm


Casing Depth

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code
600	600	241	124	CL6006SF	348	179	CL6006HF	449	230	CL6006DF			
	700	302	155	CL6007SF	435	223	CL6007HF	561	288	CL6007DF	797	409	CL6007TF
	800	361	185	CL6008SF	522	268	CL6008HF	672	345	CL6008DF	957	491	CL6008TF
	900	422	216	CL6009SF	609	312	CL6009HF	784	402	CL6009DF	1116	573	CL6009TF
	1000	482	247	CL6010SF	696	357	CL6010HF	896	460	CL6010DF	1275	654	CL6010TF
	1100	542	278	CL6011SF	782	401	CL6011HF	1008	517	CL6011DF	1435	736	CL6011TF
	1200	603	309	CL6012SF	870	446	CL6012HF	1121	575	CL6012DF	1594	818	CL6012TF
	1300	663	340	CL6013SF	957	491	CL6013HF	1233	632	CL6013DF	1753	899	CL6013TF
	1400	723	371	CL6014SF	1043	535	CL6014HF	1345	690	CL6014DF	1913	981	CL6014TF
	1500	783	402	CL6015SF	1130	580	CL6015HF	1457	747	CL6015DF			
	1600	844	433	CL6016SF	1218	625	CL6016HF	1569	805	CL6016DF			
	1700	904	464	CL6017SF	1305	669	CL6017HF	1681	862	CL6017DF			
	1800	964	494	CL6018SF	1391	714	CL6018HF	1792	920	CL6018DF	2551	1309	CL6018TF
	2000	1085	557	CL6020SF	1566	803	CL6020HF	2017	1035	CL6020DF	2869	1472	CL6020TF



Covora Lite - Flat Top - Standard Grilles

(T50 / T30)



Casing Depth


100mm

120mm

150mm

215mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code
700	600	295	151	CL7006SF	418	215	CL7006HF	538	276	CL7006DF			
	700	368	189	CL7007SF	523	268	CL7007HF	674	346	CL7007DF	959	492	CL7007TF
	800	442	227	CL7008SF	627	322	CL7008HF	808	415	CL7008DF	1150	590	CL7008TF
	900	516	265	CL7009SF	732	376	CL7009HF	943	484	CL7009DF	1341	688	CL7009TF
	1000	589	302	CL7010SF	837	429	CL7010HF	1077	552	CL7010DF	1533	786	CL7010TF
	1100	663	340	CL7011SF	942	483	CL7011HF	1212	622	CL7011DF	1725	885	CL7011TF
	1200	737	378	CL7012SF	1046	536	CL7012HF	1347	691	CL7012DF	1916	983	CL7012TF
	1300	811	416	CL7013SF	1151	590	CL7013HF	1481	760	CL7013DF	2108	1081	CL7013TF
	1400	885	454	CL7014SF	1255	644	CL7014HF	1616	829	CL7014DF	2300	1180	CL7014TF
	1500	958	491	CL7015SF	1360	698	CL7015HF	1751	898	CL7015DF	2491	1278	CL7015TF
	1600	1032	529	CL7016SF	1464	751	CL7016HF	1885	967	CL7016DF	2682	1376	CL7016TF
	1700	1105	567	CL7017SF	1569	805	CL7017HF	2020	1036	CL7017DF			
	1800	1179	605	CL7018SF	1673	858	CL7018HF	2155	1105	CL7018DF			
	2000	1326	680	CL7020SF	1882	966	CL7020HF	2423	1243	CL7020DF	3449	1769	CL7020TF



Covora Lite - Flat Top - Standard Grilles

(T50 / T30)



Casing Depth


100mm

120mm

150mm

215mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code
800	500				364	187	CL8005HF	466	239	CL8005DF			
	600	344	177	CL8006SF	485	249	CL8006HF	622	319	CL8006DF	885	454	CL8006TF
	700	431	221	CL8007SF	606	311	CL8007HF	778	399	CL8007DF	1105	567	CL8007TF
	800	517	265	CL8008SF	727	373	CL8008HF	933	478	CL8008DF	1326	680	CL8008TF
	900	603	310	CL8009SF	848	435	CL8009HF	1088	558	CL8009DF	1548	794	CL8009TF
	1000	689	353	CL8010SF	970	498	CL8010HF	1244	638	CL8010DF	1768	907	CL8010TF
	1100	775	398	CL8011SF	1091	560	CL8011HF	1399	718	CL8011DF	1990	1021	CL8011TF
	1200	862	442	CL8012SF	1212	622	CL8012HF	1555	798	CL8012DF	2211	1134	CL8012TF
	1300	948	486	CL8013SF	1333	684	CL8013HF	1711	878	CL8013DF	2431	1247	CL8013TF
	1400	1034	531	CL8014SF	1454	746	CL8014HF	1865	957	CL8014DF	2653	1361	CL8014TF
	1500	1120	574	CL8015SF	1576	809	CL8015HF	2021	1037	CL8015DF			
	1600	1206	619	CL8016SF	1697	871	CL8016HF	2177	1117	CL8016DF	3095	1588	CL8016TF
	1700	1292	663	CL8017SF	1818	933	CL8017HF	2333	1197	CL8017DF			
	1800	1379	707	CL8018SF	1939	995	CL8018HF	2488	1276	CL8018DF	3537	1814	CL8018TF
	2000	1550	795	CL8020SF	2182	1120	CL8020HF	2799	1436	CL8020DF	3979	2041	CL8020TF



Covora Lite - Flat Top - Standard Grilles

(T50 / T30)



Casing Depth

100mm

120mm

150mm

215mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code
900	600	390	200	CL9006SF	548	281	CL9006HF	699	358	CL9006DF	992	509	CL9006TF
	700	488	250	CL9007SF	685	352	CL9007HF	874	448	CL9007DF	1241	636	CL9007TF
	800	586	300	CL9008SF	821	421	CL9008HF	1048	538	CL9008DF	1489	764	CL9008TF
	900	683	350	CL9009SF	959	492	CL9009HF	1223	627	CL9009DF	1737	891	CL9009TF
	1000	781	400	CL9010SF	1096	562	CL9010HF	1397	717	CL9010DF	1985	1018	CL9010TF
	1100	878	450	CL9011SF	1233	632	CL9011HF	1573	807	CL9011DF	2233	1146	CL9011TF
	1200	975	500	CL9012SF	1370	703	CL9012HF	1747	896	CL9012DF	2481	1273	CL9012TF
	1300	1073	551	CL9013SF	1507	773	CL9013HF	1922	986	CL9013DF	2730	1400	CL9013TF
	1400	1170	600	CL9014SF	1644	843	CL9014HF	2097	1076	CL9014DF	2978	1528	CL9014TF
	1500	1268	651	CL9015SF	1781	914	CL9015HF	2271	1165	CL9015DF			
	1600	1365	700	CL9016SF	1918	984	CL9016HF	2446	1255	CL9016DF	3474	1782	CL9016TF
	1700	1463	751	CL9017SF				2621	1345	CL9017DF			
	1800	1561	801	CL9018SF	2191	1124	CL9018HF	2795	1434	CL9018DF	3970	2037	CL9018TF
	2000	1756	901	CL9020SF	2465	1265	CL9020HF	3144	1613	CL9020DF			