

Deepclean - Flat Top - Wall Mounted - Standard Grilles

(T50 / T30)



150mm



165mm



200mm




260mm

Casing Depth

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code
550	600	183	94	DFW5506SF	272	140	DFW5506HF	350	179	DFW5506DF			
	700	230	118	DFW5507SF	341	175	DFW5507HF	438	225	DFW5507DF	622	319	DFW5507TF
	800	275	141	DFW5508SF	409	210	DFW5508HF	525	269	DFW5508DF	747	383	DFW5508TF
	900	321	165	DFW5509SF	477	245	DFW5509HF	612	314	DFW5509DF	871	447	DFW5509TF
	1000	367	188	DFW5510SF	546	280	DFW5510HF	700	359	DFW5510DF			
	1100	413	212	DFW5511SF	613	315	DFW5511HF	788	404	DFW5511DF	1120	574	DFW5511TF
	1200	458	235	DFW5512SF	682	350	DFW5512HF	875	449	DFW5512DF	1244	638	DFW5512TF
	1300	505	259	DFW5513SF	750	385	DFW5513HF	962	494	DFW5513DF	1369	702	DFW5513TF
	1400	550	282	DFW5514SF	818	420	DFW5514HF	1050	539	DFW5514DF	1493	766	DFW5514TF
	1500	596	306	DFW5515SF									
	1600	642	329	DFW5516SF	954	489	DFW5516HF	1225	628	DFW5516DF	1742	894	DFW5516TF
	1800	733	376	DFW5518SF	1091	560	DFW5518HF	1400	718	DFW5518DF	1991	1021	DFW5518TF
	2000	825	423	DFW5520SF	1227	630	DFW5520HF	1574	808	DFW5520DF	2239	1149	DFW5520TF
	2200	917	470	DFW5522SF				1750	898	DFW5522DF	2488	1277	DFW5522TF
	2400	1008	517	DFW5524SF				1925	988	DFW5524DF			
	2600	1100	564	DFW5526SF				2100	1077	DFW5526DF			

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*



Deepclean - Flat Top - Wall Mounted - Standard Grilles

(T50 / T30)



Casing Depth

150mm


165mm

200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code
650	600	241	124	DFW6506SF	348	179	DFW6506HF	449	230	DFW6506DF			
	700	302	155	DFW6507SF	435	223	DFW6507HF	561	288	DFW6507DF	797	409	DFW6507TF
	800	361	185	DFW6508SF	522	268	DFW6508HF	672	345	DFW6508DF	957	491	DFW6508TF
	900	422	216	DFW6509SF	609	312	DFW6509HF	784	402	DFW6509DF	1116	573	DFW6509TF
	1000	482	247	DFW6510SF	696	357	DFW6510HF	896	460	DFW6510DF	1275	654	DFW6510TF
	1100	542	278	DFW6511SF	782	401	DFW6511HF	1008	517	DFW6511DF	1435	736	DFW6511TF
	1200	603	309	DFW6512SF	870	446	DFW6512HF	1121	575	DFW6512DF	1594	818	DFW6512TF
	1300	663	340	DFW6513SF	957	491	DFW6513HF	1233	632	DFW6513DF	1753	899	DFW6513TF
	1400	723	371	DFW6514SF	1043	535	DFW6514HF	1345	690	DFW6514DF	1913	981	DFW6514TF
	1500	783	402	DFW6515SF	1130	580	DFW6515HF	1457	747	DFW6515DF			
	1600	844	433	DFW6516SF	1218	625	DFW6516HF	1569	805	DFW6516DF			
	1700	904	464	DFW6517SF	1305	669	DFW6517HF	1681	862	DFW6517DF			
	1800	964	494	DFW6518SF	1391	714	DFW6518HF	1792	920	DFW6518DF	2551	1309	DFW6518TF
	2000	1085	557	DFW6520SF	1566	803	DFW6520HF	2017	1035	DFW6520DF	2869	1472	DFW6520TF
	2200	1205	618	DFW6522SF	1739	892	DFW6522HF	2241	1150	DFW6522DF	3188	1635	DFW6522TF
	2400	1325	680	DFW6524SF	1913	981	DFW6524HF	2465	1265	DFW6524DF	3507	1799	DFW6524TF
	2600	1446	742	DFW6526SF	2087	1071	DFW6526HF	2690	1380	DFW6526DF			

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*



Deepclean - Flat Top - Wall Mounted - Standard Grilles

(T50 / T30)



Casing Depth

150mm


165mm

200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code
750	500	223	115	DFW7505SF									
	600	295	151	DFW7506SF	418	215	DFW7506HF	538	276	DFW7506DF			
	700	368	189	DFW7507SF	523	268	DFW7507HF	674	346	DFW7507DF	959	492	DFW7507TF
	800	442	227	DFW7508SF	627	322	DFW7508HF	808	415	DFW7508DF	1150	590	DFW7508TF
	900	516	265	DFW7509SF	732	376	DFW7509HF	943	484	DFW7509DF	1341	688	DFW7509TF
	1000	589	302	DFW7510SF	837	429	DFW7510HF	1077	552	DFW7510DF	1533	786	DFW7510TF
	1100	663	340	DFW7511SF	942	483	DFW7511HF	1212	622	DFW7511DF	1725	885	DFW7511TF
	1200	737	378	DFW7512SF	1046	536	DFW7512HF	1347	691	DFW7512DF	1916	983	DFW7512TF
	1300	811	416	DFW7513SF	1151	590	DFW7513HF	1481	760	DFW7513DF	2108	1081	DFW7513TF
	1400	885	454	DFW7514SF	1255	644	DFW7514HF	1616	829	DFW7514DF	2300	1180	DFW7514TF
	1500	958	491	DFW7515SF	1360	698	DFW7515HF	1751	898	DFW7515DF	2491	1278	DFW7515TF
	1600	1032	529	DFW7516SF	1464	751	DFW7516HF	1885	967	DFW7516DF	2682	1376	DFW7516TF
	1700	1105	567	DFW7517SF	1569	805	DFW7517HF	2020	1036	DFW7517DF			
	1800	1179	605	DFW7518SF	1673	858	DFW7518HF	2155	1105	DFW7518DF			
	2000	1326	680	DFW7520SF	1882	966	DFW7520HF	2423	1243	DFW7520DF	3449	1769	DFW7520TF
	2200	1474	756	DFW7522SF	2092	1073	DFW7522HF	2693	1382	DFW7522DF	3832	1966	DFW7522TF
	2400	1622	832	DFW7524SF	2301	1180	DFW7524HF	2963	1520	DFW7524DF	4216	2163	DFW7524TF
	2600	1768	907	DFW7526SF	2510	1288	DFW7526HF	3232	1658	DFW7526DF			

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*



Deepclean - Flat Top - Wall Mounted - Standard Grilles

(T50 / T30)



Casing Depth

150mm


165mm

200mm

260mm


Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code
850	500	259	133	DFW8505SF	364	187	DFW8505HF	466	239	DFW8505DF			
	600	344	177	DFW8506SF	485	249	DFW8506HF	622	319	DFW8506DF	885	454	DFW8506TF
	700	431	221	DFW8507SF	606	311	DFW8507HF	778	399	DFW8507DF	1105	567	DFW8507TF
	800	517	265	DFW8508SF	727	373	DFW8508HF	933	478	DFW8508DF	1326	680	DFW8508TF
	900	603	310	DFW8509SF	848	435	DFW8509HF	1088	558	DFW8509DF	1548	794	DFW8509TF
	1000	689	353	DFW8510SF	970	498	DFW8510HF	1244	638	DFW8510DF	1768	907	DFW8510TF
	1100	775	398	DFW8511SF	1091	560	DFW8511HF	1399	718	DFW8511DF	1990	1021	DFW8511TF
	1200	862	442	DFW8512SF	1212	622	DFW8512HF	1555	798	DFW8512DF	2211	1134	DFW8512TF
	1300	948	486	DFW8513SF	1333	684	DFW8513HF	1711	878	DFW8513DF	2431	1247	DFW8513TF
	1400	1034	531	DFW8514SF	1454	746	DFW8514HF	1865	957	DFW8514DF	2653	1361	DFW8514TF
	1500	1120	574	DFW8515SF	1576	809	DFW8515HF	2021	1037	DFW8515DF			
	1600	1206	619	DFW8516SF	1697	871	DFW8516HF	2177	1117	DFW8516DF	3095	1588	DFW8516TF
	1700	1292	663	DFW8517SF	1818	933	DFW8517HF	2333	1197	DFW8517DF			
	1800	1379	707	DFW8518SF	1939	995	DFW8518HF	2488	1276	DFW8518DF	3537	1814	DFW8518TF
	2000	1550	795	DFW8520SF	2182	1120	DFW8520HF	2799	1436	DFW8520DF	3979	2041	DFW8520TF
	2200	1723	884	DFW8522SF	2424	1244	DFW8522HF	3110	1595	DFW8522DF	4422	2268	DFW8522TF
	2400	1896	972	DFW8524SF	2666	1368	DFW8524HF	3420	1755	DFW8524DF			
	2600	2067	1061	DFW8526SF	2909	1493	DFW8526HF	3732	1914	DFW8526DF			

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*



Deepclean - Flat Top - Wall Mounted - Standard Grilles

(T50 / T30)



Casing Depth

150mm


165mm

200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code
950	600	390	200	DFW9506SF	548	281	DFW9506HF	699	358	DFW9506DF	992	509	DFW9506TF
	700	488	250	DFW9507SF	685	352	DFW9507HF	874	448	DFW9507DF	1241	636	DFW9507TF
	800	586	300	DFW9508SF	821	421	DFW9508HF	1048	538	DFW9508DF	1489	764	DFW9508TF
	900	683	350	DFW9509SF	959	492	DFW9509HF	1223	627	DFW9509DF	1737	891	DFW9509TF
	1000	781	400	DFW9510SF	1096	562	DFW9510HF	1397	717	DFW9510DF	1985	1018	DFW9510TF
	1100	878	450	DFW9511SF	1233	632	DFW9511HF	1573	807	DFW9511DF	2233	1146	DFW9511TF
	1200	975	500	DFW9512SF	1370	703	DFW9512HF	1747	896	DFW9512DF	2481	1273	DFW9512TF
	1300	1073	551	DFW9513SF	1507	773	DFW9513HF	1922	986	DFW9513DF	2730	1400	DFW9513TF
	1400	1170	600	DFW9514SF	1644	843	DFW9514HF	2097	1076	DFW9514DF	2978	1528	DFW9514TF
	1500	1268	651	DFW9515SF	1781	914	DFW9515HF	2271	1165	DFW9515DF			
	1600	1365	700	DFW9516SF	1918	984	DFW9516HF	2446	1255	DFW9516DF	3474	1782	DFW9516TF
	1700	1463	751	DFW9517SF				2621	1345	DFW9517DF			
	1800	1561	801	DFW9518SF	2191	1124	DFW9518HF	2795	1434	DFW9518DF	3970	2037	DFW9518TF
	2000	1756	901	DFW9520SF	2465	1265	DFW9520HF	3144	1613	DFW9520DF			
	2200	1951	1001	DFW9522SF				3494	1792	DFW9522DF			
	2400	2146	1101	DFW9524SF				3844	1972	DFW9524DF			
	2600	2341	1201	DFW9526SF				4193	2151	DFW9526DF			

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*



Deepclean - Flat Top - Wall Mounted - Standard Grilles

(T50 / T30)



Casing Depth

150mm

165mm

200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code
1150	600	469	241	DFW1106SF	665	341	DFW1106HF	834	428	DFW1106DF	1180	605	DFW1106TF
	700	587	301	DFW1107SF	831	426	DFW1107HF	1043	535	DFW1107DF	1476	757	DFW1107TF
	800	704	361	DFW1108SF	998	512	DFW1108HF	1251	642	DFW1108DF	1771	909	DFW1108TF
	900	821	421	DFW1109SF	1164	597	DFW1109HF	1460	749	DFW1109DF	2066	1060	DFW1109TF
	1000	938	481	DFW1110SF	1330	682	DFW1110HF	1668	856	DFW1110DF	2361	1211	DFW1110TF
	1100	1056	541	DFW1111SF				1877	963	DFW1111DF	2656	1362	DFW1111TF
	1200	1173	602	DFW1112SF				2085	1070	DFW1112DF	2951	1514	DFW1112TF
	1300	1290	662	DFW1113SF				2455	1259	DFW1113DF			
	1400	1408	722	DFW1114SF				2503	1284	DFW1114DF			
	1500							2901	1488	DFW1115DF			
	1600	1642	842	DFW1116SF				2919	1498	DFW1116DF			

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*