



Triple Fin - Flat Top - Wall Mounted

(T50 / T20)



260mm




260mm

Casing Depth



Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT20)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT20)	Product Code
550	700	622	188	DFW5507TF	559	169	DEFW5507TF
	800	747	226	DFW5508TF	671	203	DEFW5508TF
	900	871	263	DFW5509TF	783	237	DEFW5509TF
	1100	1120	338	DFW5511TF	1006	304	DEFW5511TF
	1200	1244	376	DFW5512TF	1118	338	DEFW5512TF
	1300	1369	413	DFW5513TF	1230	372	DEFW5513TF
	1400	1493	451	DFW5514TF	1342	405	DEFW5514TF
	1600	1742	526	DFW5516TF	1566	473	DEFW5516TF
	1800	1991	601	DFW5518TF	1790	540	DEFW5518TF
	2000	2239	676	DFW5520TF	2013	608	DEFW5520TF
	2200	2488	752	DFW5522TF	2237	676	DEFW5522TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*



Triple Fin - Flat Top - Wall Mounted

(T50 / T20)




Casing Depth

260mm

260mm


Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT20)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT20)	Product Code
650	700	797	241	DFW6507TF	717	216	DEFW6507TF
	800	957	289	DFW6508TF	860	260	DEFW6508TF
	900	1116	337	DFW6509TF	1003	303	DEFW6509TF
	1000	1275	385	DFW6510TF	1146	346	DEFW6510TF
	1100	1435	433	DFW6511TF	1290	389	DEFW6511TF
	1200	1594	481	DFW6512TF	1433	433	DEFW6512TF
	1300	1753	529	DFW6513TF	1576	476	DEFW6513TF
	1400	1913	578	DFW6514TF	1719	519	DEFW6514TF
	1800	2551	770	DFW6518TF	2293	692	DEFW6518TF
	2000	2869	867	DFW6520TF	2579	779	DEFW6520TF
	2200	3188	963	DFW6522TF	2866	865	DEFW6522TF
	2400	3507	1059	DFW6524TF	3152	952	DEFW6524TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*




Triple Fin - Flat Top - Wall Mounted

(T50 / T20)



260mm




260mm

Casing Depth


Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT20)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT20)	Product Code
750	700	959	289	DFW7507TF	862	260	DEFW7507TF
	800	1150	347	DFW7508TF	1034	312	DEFW7508TF
	900	1341	405	DFW7509TF	1206	364	DEFW7509TF
	1000	1533	463	DFW7510TF	1378	416	DEFW7510TF
	1100	1725	521	DFW7511TF	1550	468	DEFW7511TF
	1200	1916	579	DFW7512TF	1722	520	DEFW7512TF
	1300	2108	636	DFW7513TF	1894	572	DEFW7513TF
	1400	2300	695	DFW7514TF	2067	624	DEFW7514TF
	1500	2491	752	DFW7515TF	2239	676	DEFW7515TF
	1600	2682	810	DFW7516TF	2411	728	DEFW7516TF
	2000	3449	1042	DFW7520TF	3100	936	DEFW7520TF
	2200	3832	1157	DFW7522TF	3445	1040	DEFW7522TF
	2400	4216	1273	DFW7524TF	3790	1144	DEFW7524TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*




Triple Fin - Flat Top - Wall Mounted

(T50 / T20)



260mm




260mm

Casing Depth


Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT20)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT20)	Product Code
850	600	885	267	DFW8506TF	795	240	DEFW8506TF
	700	1105	334	DFW8507TF	994	300	DEFW8507TF
	800	1326	400	DFW8508TF	1192	360	DEFW8508TF
	900	1548	467	DFW8509TF	1391	420	DEFW8509TF
	1000	1768	534	DFW8510TF	1590	480	DEFW8510TF
	1100	1990	601	DFW8511TF	1789	540	DEFW8511TF
	1200	2211	668	DFW8512TF	1987	600	DEFW8512TF
	1300	2431	734	DFW8513TF	2186	660	DEFW8513TF
	1400	2653	801	DFW8514TF	2385	720	DEFW8514TF
	1600	3095	935	DFW8516TF	2782	840	DEFW8516TF
	1800	3537	1068	DFW8518TF	3179	960	DEFW8518TF
	2000	3979	1202	DFW8520TF	3577	1080	DEFW8520TF
	2200	4422	1335	DFW8522TF	3974	1200	DEFW8522TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*




Triple Fin - Flat Top - Wall Mounted

(T50 / T20)



260mm




260mm

Casing Depth


Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT20)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT20)	Product Code
950	600	992	300	DFW9506TF	892	269	DEFW9506TF
	700	1241	375	DFW9507TF	1115	337	DEFW9507TF
	800	1489	450	DFW9508TF	1338	404	DEFW9508TF
	900	1737	525	DFW9509TF	1562	472	DEFW9509TF
	1000	1985	599	DFW9510TF	1784	539	DEFW9510TF
	1100	2233	674	DFW9511TF	2007	606	DEFW9511TF
	1200	2481	749	DFW9512TF	2230	674	DEFW9512TF
	1300	2730	824	DFW9513TF	2454	741	DEFW9513TF
	1400	2978	899	DFW9514TF	2677	808	DEFW9514TF
	1600	3474	1049	DFW9516TF	3122	943	DEFW9516TF
	1800	3970	1199	DFW9518TF	3569	1078	DEFW9518TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*




Triple Fin - Flat Top - Wall Mounted

(T50 / T20)



260mm



260mm

Casing Depth

Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT20)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT20)	Product Code
1150	600	1180	356	DFW1106TF	1061	320	DEFW1106TF
	700	1476	446	DFW1107TF	1326	401	DEFW1107TF
	800	1771	535	DFW1108TF	1592	481	DEFW1108TF
	900	2066	624	DFW1109TF	1857	561	DEFW1109TF
	1000	2361	713	DFW1110TF	2122	641	DEFW1110TF
	1100	2656	802	DFW1111TF	2387	721	DEFW1111TF
	1200	2951	891	DFW1112TF	2653	801	DEFW1112TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*