



Triple Fin - Flat Top - Wall Mounted

(T50 / T24)



260mm




260mm

Casing Depth


Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code
550	700	622	238	DFW5507TF	559	214	DEFW5507TF
	800	747	286	DFW5508TF	671	257	DEFW5508TF
	900	871	334	DFW5509TF	783	300	DEFW5509TF
	1100	1120	429	DFW5511TF	1006	385	DEFW5511TF
	1200	1244	477	DFW5512TF	1118	428	DEFW5512TF
	1300	1369	524	DFW5513TF	1230	471	DEFW5513TF
	1400	1493	572	DFW5514TF	1342	514	DEFW5514TF
	1600	1742	667	DFW5516TF	1566	600	DEFW5516TF
	1800	1991	763	DFW5518TF	1790	685	DEFW5518TF
	2000	2239	858	DFW5520TF	2013	771	DEFW5520TF
	2200	2488	953	DFW5522TF	2237	857	DEFW5522TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*




Triple Fin - Flat Top - Wall Mounted

(T50 / T24)



260mm




260mm

Casing Depth


Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code
650	700	797	305	DFW6507TF	717	275	DEFW6507TF
	800	957	366	DFW6508TF	860	329	DEFW6508TF
	900	1116	427	DFW6509TF	1003	384	DEFW6509TF
	1000	1275	488	DFW6510TF	1146	439	DEFW6510TF
	1100	1435	549	DFW6511TF	1290	494	DEFW6511TF
	1200	1594	610	DFW6512TF	1433	549	DEFW6512TF
	1300	1753	672	DFW6513TF	1576	604	DEFW6513TF
	1400	1913	733	DFW6514TF	1719	658	DEFW6514TF
	1800	2551	977	DFW6518TF	2293	878	DEFW6518TF
	2000	2869	1099	DFW6520TF	2579	988	DEFW6520TF
	2200	3188	1221	DFW6522TF	2866	1098	DEFW6522TF
	2400	3507	1343	DFW6524TF	3152	1207	DEFW6524TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*




Triple Fin - Flat Top - Wall Mounted

(T50 / T24)



260mm




260mm

Casing Depth


Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code
750	700	959	367	DFW7507TF	862	330	DEFW7507TF
	800	1150	440	DFW7508TF	1034	396	DEFW7508TF
	900	1341	514	DFW7509TF	1206	462	DEFW7509TF
	1000	1533	587	DFW7510TF	1378	528	DEFW7510TF
	1100	1725	661	DFW7511TF	1550	594	DEFW7511TF
	1200	1916	734	DFW7512TF	1722	660	DEFW7512TF
	1300	2108	807	DFW7513TF	1894	726	DEFW7513TF
	1400	2300	881	DFW7514TF	2067	792	DEFW7514TF
	1500	2491	954	DFW7515TF	2239	858	DEFW7515TF
	1600	2682	1027	DFW7516TF	2411	923	DEFW7516TF
	2000	3449	1321	DFW7520TF	3100	1187	DEFW7520TF
	2200	3832	1468	DFW7522TF	3445	1319	DEFW7522TF
	2400	4216	1615	DFW7524TF	3790	1451	DEFW7524TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*




Triple Fin - Flat Top - Wall Mounted

(T50 / T24)



260mm




260mm

Casing Depth


Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code
850	600	885	339	DFW8506TF	795	305	DEFW8506TF
	700	1105	423	DFW8507TF	994	381	DEFW8507TF
	800	1326	508	DFW8508TF	1192	457	DEFW8508TF
	900	1548	593	DFW8509TF	1391	533	DEFW8509TF
	1000	1768	677	DFW8510TF	1590	609	DEFW8510TF
	1100	1990	762	DFW8511TF	1789	685	DEFW8511TF
	1200	2211	847	DFW8512TF	1987	761	DEFW8512TF
	1300	2431	931	DFW8513TF	2186	837	DEFW8513TF
	1400	2653	1016	DFW8514TF	2385	913	DEFW8514TF
	1600	3095	1186	DFW8516TF	2782	1066	DEFW8516TF
	1800	3537	1355	DFW8518TF	3179	1218	DEFW8518TF
	2000	3979	1524	DFW8520TF	3577	1370	DEFW8520TF
	2200	4422	1693	DFW8522TF	3974	1522	DEFW8522TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*




Triple Fin - Flat Top - Wall Mounted

(T50 / T24)



260mm




260mm

Casing Depth


Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code
950	600	992	380	DFW9506TF	892	342	DEFW9506TF
	700	1241	475	DFW9507TF	1115	427	DEFW9507TF
	800	1489	570	DFW9508TF	1338	513	DEFW9508TF
	900	1737	665	DFW9509TF	1562	598	DEFW9509TF
	1000	1985	760	DFW9510TF	1784	683	DEFW9510TF
	1100	2233	855	DFW9511TF	2007	769	DEFW9511TF
	1200	2481	950	DFW9512TF	2230	854	DEFW9512TF
	1300	2730	1045	DFW9513TF	2454	940	DEFW9513TF
	1400	2978	1141	DFW9514TF	2677	1025	DEFW9514TF
	1600	3474	1330	DFW9516TF	3122	1196	DEFW9516TF
	1800	3970	1521	DFW9518TF	3569	1367	DEFW9518TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*




Triple Fin - Flat Top - Wall Mounted

(T50 / T24)



260mm



260mm

Casing Depth

Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code
1150	600	1180	452	DFW1106TF	1061	406	DEFW1106TF
	700	1476	565	DFW1107TF	1326	508	DEFW1107TF
	800	1771	678	DFW1108TF	1592	610	DEFW1108TF
	900	2066	791	DFW1109TF	1857	711	DEFW1109TF
	1000	2361	904	DFW1110TF	2122	813	DEFW1110TF
	1100	2656	1017	DFW1111TF	2387	914	DEFW1111TF
	1200	2951	1130	DFW1112TF	2653	1016	DEFW1112TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*