



Triple Fin - Flat Top - Wall Mounted

(T50 / T30)



260mm




260mm

Casing Depth


Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code
550	700	622	319	DFW5507TF	559	287	DEFW5507TF
	800	747	383	DFW5508TF	671	344	DEFW5508TF
	900	871	447	DFW5509TF	783	402	DEFW5509TF
	1100	1120	574	DFW5511TF	1006	516	DEFW5511TF
	1200	1244	638	DFW5512TF	1118	574	DEFW5512TF
	1300	1369	702	DFW5513TF	1230	631	DEFW5513TF
	1400	1493	766	DFW5514TF	1342	689	DEFW5514TF
	1600	1742	894	DFW5516TF	1566	803	DEFW5516TF
	1800	1991	1021	DFW5518TF	1790	918	DEFW5518TF
	2000	2239	1149	DFW5520TF	2013	1033	DEFW5520TF
	2200	2488	1277	DFW5522TF	2237	1147	DEFW5522TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*




Triple Fin - Flat Top - Wall Mounted

(T50 / T30)



260mm




260mm

Casing Depth


Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code
650	700	797	409	DFW6507TF	717	368	DEFW6507TF
	800	957	491	DFW6508TF	860	441	DEFW6508TF
	900	1116	573	DFW6509TF	1003	515	DEFW6509TF
	1000	1275	654	DFW6510TF	1146	588	DEFW6510TF
	1100	1435	736	DFW6511TF	1290	662	DEFW6511TF
	1200	1594	818	DFW6512TF	1433	735	DEFW6512TF
	1300	1753	899	DFW6513TF	1576	808	DEFW6513TF
	1400	1913	981	DFW6514TF	1719	882	DEFW6514TF
	1800	2551	1309	DFW6518TF	2293	1176	DEFW6518TF
	2000	2869	1472	DFW6520TF	2579	1323	DEFW6520TF
	2200	3188	1635	DFW6522TF	2866	1470	DEFW6522TF
	2400	3507	1799	DFW6524TF	3152	1617	DEFW6524TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*




Triple Fin - Flat Top - Wall Mounted

(T50 / T30)



260mm




260mm

Casing Depth


Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code
750	700	959	492	DFW7507TF	862	442	DEFW7507TF
	800	1150	590	DFW7508TF	1034	530	DEFW7508TF
	900	1341	688	DFW7509TF	1206	618	DEFW7509TF
	1000	1533	786	DFW7510TF	1378	707	DEFW7510TF
	1100	1725	885	DFW7511TF	1550	795	DEFW7511TF
	1200	1916	983	DFW7512TF	1722	884	DEFW7512TF
	1300	2108	1081	DFW7513TF	1894	972	DEFW7513TF
	1400	2300	1180	DFW7514TF	2067	1060	DEFW7514TF
	1500	2491	1278	DFW7515TF	2239	1149	DEFW7515TF
	1600	2682	1376	DFW7516TF	2411	1237	DEFW7516TF
	2000	3449	1769	DFW7520TF	3100	1590	DEFW7520TF
	2200	3832	1966	DFW7522TF	3445	1767	DEFW7522TF
	2400	4216	2163	DFW7524TF	3790	1944	DEFW7524TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*




Triple Fin - Flat Top - Wall Mounted

(T50 / T30)



260mm




260mm

Casing Depth


Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T30$)	Product Code
850	600	885	454	DFW8506TF	795	408	DEFW8506TF
	700	1105	567	DFW8507TF	994	510	DEFW8507TF
	800	1326	680	DFW8508TF	1192	611	DEFW8508TF
	900	1548	794	DFW8509TF	1391	714	DEFW8509TF
	1000	1768	907	DFW8510TF	1590	815	DEFW8510TF
	1100	1990	1021	DFW8511TF	1789	918	DEFW8511TF
	1200	2211	1134	DFW8512TF	1987	1019	DEFW8512TF
	1300	2431	1247	DFW8513TF	2186	1121	DEFW8513TF
	1400	2653	1361	DFW8514TF	2385	1223	DEFW8514TF
	1600	3095	1588	DFW8516TF	2782	1427	DEFW8516TF
	1800	3537	1814	DFW8518TF	3179	1631	DEFW8518TF
	2000	3979	2041	DFW8520TF	3577	1835	DEFW8520TF
	2200	4422	2268	DFW8522TF	3974	2039	DEFW8522TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*




Triple Fin - Flat Top - Wall Mounted

(T50 / T30)



260mm




260mm

Casing Depth


Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (Δ T50)	Output Watts (Δ T30)	Product Code	Output Watts (Δ T50)	Output Watts (Δ T30)	Product Code
950	600	992	509	DFW9506TF	892	458	DEFW9506TF
	700	1241	636	DFW9507TF	1115	572	DEFW9507TF
	800	1489	764	DFW9508TF	1338	687	DEFW9508TF
	900	1737	891	DFW9509TF	1562	801	DEFW9509TF
	1000	1985	1018	DFW9510TF	1784	915	DEFW9510TF
	1100	2233	1146	DFW9511TF	2007	1030	DEFW9511TF
	1200	2481	1273	DFW9512TF	2230	1144	DEFW9512TF
	1300	2730	1400	DFW9513TF	2454	1259	DEFW9513TF
	1400	2978	1528	DFW9514TF	2677	1373	DEFW9514TF
	1600	3474	1782	DFW9516TF	3122	1602	DEFW9516TF
	1800	3970	2037	DFW9518TF	3569	1831	DEFW9518TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*




Triple Fin - Flat Top - Wall Mounted

(T50 / T30)



260mm



260mm

Casing Depth

Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code
1150	600	1180	605	DFW1106TF	1061	544	DEFW1106TF
	700	1476	757	DFW1107TF	1326	680	DEFW1107TF
	800	1771	909	DFW1108TF	1592	817	DEFW1108TF
	900	2066	1060	DFW1109TF	1857	953	DEFW1109TF
	1000	2361	1211	DFW1110TF	2122	1089	DEFW1110TF
	1100	2656	1362	DFW1111TF	2387	1225	DEFW1111TF
	1200	2951	1514	DFW1112TF	2653	1361	DEFW1112TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*