



Triple Fin - Sloped Top - Wall Mounted

(T50 / T24)



260mm




260mm

Casing Depth


Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code
600	700	622	238	DSW6007TF	559	214	DESW6007TF
	800	747	286	DSW6008TF	671	257	DESW6008TF
	900	871	334	DSW6009TF	783	300	DESW6009TF
	1100	1120	429	DSW6011TF	1006	385	DESW6011TF
	1200	1244	477	DSW6012TF	1118	428	DESW6012TF
	1300	1369	524	DSW6013TF	1230	471	DESW6013TF
	1400	1493	572	DSW6014TF	1342	514	DESW6014TF
	1600	1742	667	DSW6016TF	1566	600	DESW6016TF
	1800	1991	763	DSW6018TF	1790	685	DESW6018TF
	2000	2239	858	DSW6020TF	2013	771	DESW6020TF
	2200	2488	953	DSW6022TF	2237	857	DESW6022TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*




Triple Fin - Sloped Top - Wall Mounted

(T50 / T24)



260mm




260mm

Casing Depth


Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code
700	700	797	305	DSW7007TF	717	275	DESW7007TF
	800	957	366	DSW7008TF	860	329	DESW7008TF
	900	1116	427	DSW7009TF	1003	384	DESW7009TF
	1000	1275	488	DSW7010TF	1146	439	DESW7010TF
	1100	1435	549	DSW7011TF	1290	494	DESW7011TF
	1200	1594	610	DSW7012TF	1433	549	DESW7012TF
	1300	1753	672	DSW7013TF	1576	604	DESW7013TF
	1400	1913	733	DSW7014TF	1719	658	DESW7014TF
	1800	2551	977	DSW7018TF	2293	878	DESW7018TF
	2000	2869	1099	DSW7020TF	2579	988	DESW7020TF
	2200	3188	1221	DSW7022TF	2866	1098	DESW7022TF
	2400	3507	1343	DSW7024TF	3152	1207	DESW7024TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*




Triple Fin - Sloped Top - Wall Mounted

(T50 / T24)



260mm




260mm

Casing Depth


Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code
800	700	959	367	DSW8007TF	862	330	DESW8007TF
	800	1150	440	DSW8008TF	1034	396	DESW8008TF
	900	1341	514	DSW8009TF	1206	462	DESW8009TF
	1000	1533	587	DSW8010TF	1378	528	DESW8010TF
	1100	1725	661	DSW8011TF	1550	594	DESW8011TF
	1200	1916	734	DSW8012TF	1722	660	DESW8012TF
	1300	2108	807	DSW8013TF	1894	726	DESW8013TF
	1400	2300	881	DSW8014TF	2067	792	DESW8014TF
	1500	2491	954	DSW8015TF	2239	858	DESW8015TF
	1600	2682	1027	DSW8016TF	2411	923	DESW8016TF
	2000	3449	1321	DSW8020TF	3100	1187	DESW8020TF
	2200	3832	1468	DSW8022TF	3445	1319	DESW8022TF
	2400	4216	1615	DSW8024TF	3790	1451	DESW8024TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*




Triple Fin - Sloped Top - Wall Mounted

(T50 / T24)



260mm




260mm

Casing Depth


Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code
900	600	885	339	DSW9006TF	795	305	DESW9006TF
	700	1105	423	DSW9007TF	994	381	DESW9007TF
	800	1326	508	DSW9008TF	1192	457	DESW9008TF
	900	1548	593	DSW9009TF	1391	533	DESW9009TF
	1000	1768	677	DSW9010TF	1590	609	DESW9010TF
	1100	1990	762	DSW9011TF	1789	685	DESW9011TF
	1200	2211	847	DSW9012TF	1987	761	DESW9012TF
	1300	2431	931	DSW9013TF	2186	837	DESW9013TF
	1400	2653	1016	DSW9014TF	2385	913	DESW9014TF
	1600	3095	1186	DSW9016TF	2782	1066	DESW9016TF
	1800	3537	1355	DSW9018TF	3179	1218	DESW9018TF
	2000	3979	1524	DSW9020TF	3577	1370	DESW9020TF
	2200	4422	1693	DSW9022TF	3974	1522	DESW9022TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*




Triple Fin - Sloped Top - Wall Mounted

(T50 / T24)



260mm




260mm

Casing Depth


Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT24)	Product Code
1000	600	992	380	DSW1006TF	892	342	DESW1006TF
	700	1241	475	DSW1007TF	1115	427	DESW1007TF
	800	1489	570	DSW1008TF	1338	513	DESW1008TF
	900	1737	665	DSW1009TF	1562	598	DESW1009TF
	1000	1985	760	DSW1010TF	1784	683	DESW1010TF
	1100	2233	855	DSW1011TF	2007	769	DESW1011TF
	1200	2481	950	DSW1012TF	2230	854	DESW1012TF
	1300	2730	1045	DSW1013TF	2454	940	DESW1013TF
	1400	2978	1141	DSW1014TF	2677	1025	DESW1014TF
	1600	3474	1330	DSW1016TF	3122	1196	DESW1016TF
	1800	3970	1521	DSW1018TF	3569	1367	DESW1018TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*




Triple Fin - Sloped Top - Wall Mounted

(T50 / T24)



260mm



260mm

Casing Depth

Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code	Output Watts ($\Delta T50$)	Output Watts ($\Delta T24$)	Product Code
1200	600	1180	452	DSW1206TF	1061	406	DESW1206TF
	700	1476	565	DSW1207TF	1326	508	DESW1207TF
	800	1771	678	DSW1208TF	1592	610	DESW1208TF
	900	2066	791	DSW1209TF	1857	711	DESW1209TF
	1000	2361	904	DSW1210TF	2122	813	DESW1210TF
	1100	2656	1017	DSW1211TF	2387	914	DESW1211TF
	1200	2951	1130	DSW1212TF	2653	1016	DESW1212TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*