



Triple Fin - Sloped Top - Wall Mounted

(T50 / T30)



260mm




260mm

Casing Depth


Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code
600	700	622	319	DSW6007TF	559	287	DESW6007TF
	800	747	383	DSW6008TF	671	344	DESW6008TF
	900	871	447	DSW6009TF	783	402	DESW6009TF
	1100	1120	574	DSW6011TF	1006	516	DESW6011TF
	1200	1244	638	DSW6012TF	1118	574	DESW6012TF
	1300	1369	702	DSW6013TF	1230	631	DESW6013TF
	1400	1493	766	DSW6014TF	1342	689	DESW6014TF
	1600	1742	894	DSW6016TF	1566	803	DESW6016TF
	1800	1991	1021	DSW6018TF	1790	918	DESW6018TF
	2000	2239	1149	DSW6020TF	2013	1033	DESW6020TF
	2200	2488	1277	DSW6022TF	2237	1147	DESW6022TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*




Triple Fin - Sloped Top - Wall Mounted

(T50 / T30)



260mm




260mm

Casing Depth


Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code
700	700	797	409	DSW7007TF	717	368	DESW7007TF
	800	957	491	DSW7008TF	860	441	DESW7008TF
	900	1116	573	DSW7009TF	1003	515	DESW7009TF
	1000	1275	654	DSW7010TF	1146	588	DESW7010TF
	1100	1435	736	DSW7011TF	1290	662	DESW7011TF
	1200	1594	818	DSW7012TF	1433	735	DESW7012TF
	1300	1753	899	DSW7013TF	1576	808	DESW7013TF
	1400	1913	981	DSW7014TF	1719	882	DESW7014TF
	1800	2551	1309	DSW7018TF	2293	1176	DESW7018TF
	2000	2869	1472	DSW7020TF	2579	1323	DESW7020TF
	2200	3188	1635	DSW7022TF	2866	1470	DESW7022TF
	2400	3507	1799	DSW7024TF	3152	1617	DESW7024TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*




Triple Fin - Sloped Top - Wall Mounted

(T50 / T30)



260mm




260mm

Casing Depth


Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code
800	700	959	492	DSW8007TF	862	442	DESW8007TF
	800	1150	590	DSW8008TF	1034	530	DESW8008TF
	900	1341	688	DSW8009TF	1206	618	DESW8009TF
	1000	1533	786	DSW8010TF	1378	707	DESW8010TF
	1100	1725	885	DSW8011TF	1550	795	DESW8011TF
	1200	1916	983	DSW8012TF	1722	884	DESW8012TF
	1300	2108	1081	DSW8013TF	1894	972	DESW8013TF
	1400	2300	1180	DSW8014TF	2067	1060	DESW8014TF
	1500	2491	1278	DSW8015TF	2239	1149	DESW8015TF
	1600	2682	1376	DSW8016TF	2411	1237	DESW8016TF
	2000	3449	1769	DSW8020TF	3100	1590	DESW8020TF
	2200	3832	1966	DSW8022TF	3445	1767	DESW8022TF
	2400	4216	2163	DSW8024TF	3790	1944	DESW8024TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*




Triple Fin - Sloped Top - Wall Mounted

(T50 / T30)



260mm




260mm

Casing Depth


Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code
900	600	885	454	DSW9006TF	795	408	DESW9006TF
	700	1105	567	DSW9007TF	994	510	DESW9007TF
	800	1326	680	DSW9008TF	1192	611	DESW9008TF
	900	1548	794	DSW9009TF	1391	714	DESW9009TF
	1000	1768	907	DSW9010TF	1590	815	DESW9010TF
	1100	1990	1021	DSW9011TF	1789	918	DESW9011TF
	1200	2211	1134	DSW9012TF	1987	1019	DESW9012TF
	1300	2431	1247	DSW9013TF	2186	1121	DESW9013TF
	1400	2653	1361	DSW9014TF	2385	1223	DESW9014TF
	1600	3095	1588	DSW9016TF	2782	1427	DESW9016TF
	1800	3537	1814	DSW9018TF	3179	1631	DESW9018TF
	2000	3979	2041	DSW9020TF	3577	1835	DESW9020TF
	2200	4422	2268	DSW9022TF	3974	2039	DESW9022TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*




Triple Fin - Sloped Top - Wall Mounted

(T50 / T30)



260mm




260mm

Casing Depth


Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code
1000	600	992	509	DSW1006TF	892	458	DESW1006TF
	700	1241	636	DSW1007TF	1115	572	DESW1007TF
	800	1489	764	DSW1008TF	1338	687	DESW1008TF
	900	1737	891	DSW1009TF	1562	801	DESW1009TF
	1000	1985	1018	DSW1010TF	1784	915	DESW1010TF
	1100	2233	1146	DSW1011TF	2007	1030	DESW1011TF
	1200	2481	1273	DSW1012TF	2230	1144	DESW1012TF
	1300	2730	1400	DSW1013TF	2454	1259	DESW1013TF
	1400	2978	1528	DSW1014TF	2677	1373	DESW1014TF
	1600	3474	1782	DSW1016TF	3122	1602	DESW1016TF
	1800	3970	2037	DSW1018TF	3569	1831	DESW1018TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*




Triple Fin - Sloped Top - Wall Mounted

(T50 / T30)



260mm



260mm

Casing Depth

Casing Height (mm)	Casing Length (mm)	DeepClean			Deepclean Extra		
		Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code	Output Watts (ΔT50)	Output Watts (ΔT30)	Product Code
1200	600	1180	605	DSW1206TF	1061	544	DESW1206TF
	700	1476	757	DSW1207TF	1326	680	DESW1207TF
	800	1771	909	DSW1208TF	1592	817	DESW1208TF
	900	2066	1060	DSW1209TF	1857	953	DESW1209TF
	1000	2361	1211	DSW1210TF	2122	1089	DESW1210TF
	1100	2656	1362	DSW1211TF	2387	1225	DESW1211TF
	1200	2951	1514	DSW1212TF	2653	1361	DESW1212TF

*For installations into wet rooms or high-humidity environments, casings are available in Magnelis Steel for corrosion resistance. Add **MAG** to the end of the product code.*